

BODY | TECC


Jewelry Factory

Internally Threaded Basic Body Jewelry

Titanium G23/ASTM F-136

Update on 12/11/2024

All Items Available in Titanium High Polished or Premium PVD Coatings



All Items Available in Austrian Crystal and Cubic Zirconia


AUSTRIAN CRYSTAL COLORS



CUBIC ZIRCONIA COLORS



Premium PVD Colors



stellux™
AUSTRIAN CRYSTAL Powered by Swarovski



T-SBB-INT01
Internally Threaded Barbell with Ball

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
16GA/1.2mm	6/7/8/9/10/12/14	3+3/4+4mm
14GA/1.6mm	6/7/8/9/10/12/14/16/18/20/32/35/38	4+4/5+5mm

T-SBB-INT03
Internally Threaded Barbell without Ball

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
16GA/1.2mm	6/7/8/9/10/12/14mm
14GA/1.6mm	6/7/8/9/10/12/14/16/18/20/32/35/38mm

T-BAN-INT01
Internally Threaded Bananabell with Ball

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
16GA/1.2mm	6/7/8/9/10/12mm	3+3/4+4mm
14GA/1.6mm	6/8/10/12/14mm	4+4/5+5mm

T-BAN-INT03
Internally Threaded Bananabell without Ball

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
16GA/1.2mm	6/7/8/10/12mm
14GA/1.6mm	6/7/8/10/12/14mm

T-BAN-INT10
Internally Threaded Bananabell with Different Ball Size

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
14GA/1.6mm	6/8/10/12/14mm	4+6mm
14GA/1.6mm	6/8/10/12/14mm	5+8mm

T-BAN-INT12
Internally Threaded Bananabell with Different Size of Crystal Balls

Titanium G23/ASTM F-136

Austrian Crystal Colors
Cubic Zirconia Colors

Gauge/Thickness	Length (mm)	Ball Size
14GA/1.6mm	6/8/10/12mm	4+6mm
14GA/1.6mm	6/8/10/12mm	5+8mm

T-CBB-INT01
Internally Threaded Circular Barbell with Ball

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
16GA/1.2mm	6/8/10/12mm	3+3/4+4mm
14GA/1.6mm	6/8/10/12mm	4+4mm

T-CBB-INT03
Internally Threaded Circular Barbell without Ball

Titanium G23/ASTM F-136


Gauge/Thickness	Length (mm)
16GA/1.2mm	6/7/8/10/12mm
14GA/1.6mm	6/7/8/10/12mm

T-LAB-INT01
Internally Threaded Labret with Ball

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
18GA/1.0mm	6/8/10mm	2/2.5/3mm
16GA/1.2mm	4/5/6/7/8/9/10/12/14mm	2/2.5/3/4mm
14GA/1.6mm	5/6/7/8/9/10/12/14/16	3/4mm

Premium PVD Colors



stellux™
AUSTRIAN CRYSTAL Powered by Swarovski



T-LAB-INT05
Internally Threaded Labret with Crystal Ball



Gauge/Thickness	Length (mm)	Ball Size
18GA/1.0mm	6/8/10mm	2/2.5/3mm
16GA/1.2mm	4/5/6/7/8/9/10/12/14mm	2/2.5/3/4mm
14GA/1.6mm	5/6/7/8/9/10/12/14/16	3/4mm

T-LAB-INT04
Internally Threaded Labret with Cone



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Cone Size
18GA/1.0mm	6/8/10mm	3/4mm
16GA/1.2mm	4/5/6/7/8/9/10/12/14mm	3/4mm


T-LAB-INT35
Internally Threaded Labret with Disc



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Disc Size
18GA/1.0mm	6/8/10mm	3/4mm
16GA/1.2mm	4/5/6/7/8/9/10/12/14mm	3/4mm

T-LAB-INT03
Internally Threaded Labret without Top



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Base Size
18GA/1.0mm	6/8/10mm	2.5/3/4mm
16GA/1.2mm	4/5/6/7/8/9/10/12/14mm	2.5/3/4mm
14GA/1.6mm	5/6/7/8/9/10/12/14/16	2.5/3/4mm

T-LAB-INT16
Internally Threaded Labret with Claw Setting Stone



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Stone Size
18GA/1.0mm	6/8/10mm	2/3mm
16GA/1.2mm	4/5/6/7/8/9/10/12/14	2/3mm

T-BAL-INT01
Ball top for Internally Threaded Base



Titanium G23/ASTM F-136

Gauge/Thickness	Ball Size (mm)
16GA/1.2mm	2/2.5/3/4mm
14GA/1.6mm	3/4/5/6/8mm

T-BAL-INT05
Stone Ball top for Internally Threaded Base



Titanium G23/ASTM F-136



Gauge/Thickness	Ball Size (mm)
16GA/1.2mm	2.5/3/4mm
14GA/1.6mm	3/4/5/6/8mm

T-TOP-INT04
Cone top for Internally Threaded Base



Titanium G23/ASTM F-136

Gauge/Thickness	Cone Size
18GA/1.0mm	3/4mm
16GA/1.2mm	3/4mm


T-TOP-INT35
Round Disc top for Internally Threaded Base



Titanium G23/ASTM F-136

Gauge/Thickness	Disc Size
18GA/1.0mm	3/4mm
16GA/1.2mm	3/4mm

Premium PVD Colors



stellux™
AUSTRIAN CRYSTAL Powered by Swarovski



T-TOP-INT16

Claw Setted Stone Top for Internally Threaded Base



Titanium G23/ASTM F-136

Gauge/Thickness	Stone Size
18GA/1.0mm	2/3mm
16GA/1.2mm	2/3mm



Bodytecc Jewelry Factory(Shenzhen) Ltd,Co.
A Building,No.59, Honghu Road,
YanChuan Community, SongGang, Bao'An District,
Shenzhen, GuanDong,China.

Tel: +86-755-29918790
Fax: +86-755-29918790
Email: sales@bodytecc.com