



CLIP ON NON PIERCING

Steel 316L

02/09/2024

316L S.Steel Clip-On Non Piercing



S-EFR06 T-Bar Captive Bead Ring

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR07 T-Bar Captive Bead Ring with Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR08 T-Bar Captive Bead Ring with PVD Color Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR01 2 Rings

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR02 2 Rings with Balls

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR03 3 Rings with Balls

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR04 3 Rings with Balls

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR09 2 Rings with Crystal Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"



S-EFR10 2 Rings with Crystal Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm,5/16"
1.6/14ga	10mm,0.39"

316L S.Steel Clip-On Non Piercing





Bodytecc Jewelry Factory(Shenzhen) Ltd,Co.
A Building,No.59, Honghu Road,
YanChuan Community, SongGang, Bao'An District,
Shenzhen, GuanDong,China.

Tel: +86-755-29918790
Fax: +86-755-29918790
Email: sales@bodytecc.com