

CIRCULAR BARBELL & SPIRAL

Steel 316L


02/09/2024

# 316L S.Steel Circular Barbell

## S-CBB01

### Circular Barbell with Screwballs

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB01-K	1.0mm/18ga	2.5+2.5mm	5,6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-CBB01-L	1.0mm/18ga	3+3mm	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-CBB01-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8mm 0.20",0.24",0.28",5/16"
S-CBB01-B	1.2mm/16ga	3+3mm	6,7,8,9,10,11,12mm 0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-CBB01-C	1.2mm/16ga	4+4mm	8,9,10,11,12,14mm 5/16",0.35",0.39",7/16",1/2",9/16"
S-CBB01-E	1.6mm/14ga	3+3mm	5,6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-CBB01-F	1.6mm/14ga	4+4mm	8,9,10,11,12,13,14mm 5/16",0.35",0.39",7/16",1/2",0.51",9/16"
S-CBB01-G	1.6mm/14ga	5+5mm	8,10,12,13,14,15,16,18,19,22mm 5/16",0.39",1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"
S-CBB01-H	1.6mm/14ga	6+6mm	12,13,14,15,16,18,19,22mm 1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"



## S-CBB02(Big Thickness)

### Circular Barbell with Screwballs

Item No.	Thickness	Diameter (mm/Inch)
S-CBB02-C	2.0mm/12ga	8,10,12,14,16,19,22mm 5/16",0.39",1/2",9/16",5/8",3/4",7/8"
S-CBB02-D	2.5mm/10ga	10,12,14,16,19,22mm 0.39",1/2",9/16",5/8",3/4",7/8"
S-CBB02-E	3.2mm/8ga	12,14,16,19,22mm 1/2",9/16",5/8",3/4",7/8"
S-CBB02-F	4.0mm/6ga	12,14,16,19,22mm 1/2",9/16",5/8",3/4",7/8"
S-CBB02-G	5.0mm/4ga	12,14,16,19,22mm 1/2",9/16",5/8",3/4",7/8"
S-CBB02-H	6.5mm/2ga	14,16,19,22mm 9/16",5/8",3/4",7/8"



## S-CBB04

### Circular Barbell with Cones

Item No.	Thickness	Cone Size	Diameter (mm/Inch)
S-CBB04-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8mm 0.20",0.24",0.28",5/16"
S-CBB04-B	1.2mm/16ga	3+3mm	6,7,8,9,10,11,12mm 0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-CBB04-C	1.2mm/16ga	4+4mm	8,9,10,11,12mm 5/16",0.35",0.39",7/16",1/2"
S-CBB04-E	1.6mm/14ga	3+3mm	5,6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-CBB04-F	1.6mm/14ga	4+4mm	8,9,10,11,12,13,14mm 5/16",0.35",0.39",7/16",1/2",0.51",9/16"
S-CBB04-G	1.6mm/14ga	5+5mm	10,12,13,14,15,16,18,19,22mm 0.39",1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"



## S-CBB03

### Circular Barbell without Balls

Item No.	Thickness	Diameter (mm/Inch)
S-CBB03-C	1.0mm/18ga	5,6,7,8,9,10,11,12,13,14,15,16mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8"
S-CBB03-A	1.2mm/16ga	5,6,7,8,9,10,11,12,13,14,15,16mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8"
S-CBB03-B	1.6mm/14ga	5,6,7,8,9,10,11,12,13,14,15,16,18,19,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"



# 316L S.Steel Circular Barbell

## S-CBB05

### Circular Barbell with two Balls + one Setted Crystal

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB05-G	1.6mm/14ga	4+5+4mm	10,12,14mm 0.39",1/2",9/16"
S-CBB05-H	1.6mm/14ga	5+6+5mm	12,14,16mm 0.39",1/2",9/16"5/8"



SP



LS



PD



## S-CBB06

### Circular Barbell with Double Setted Crystal Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB06-A	1.2mm/16ga	2.5+2.5mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB06-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB06-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB06-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBB06-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



SP



AM



BZ

## S-CBB08

### Circular Barbell with Double Multiple Crystals Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB08-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB08-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB08-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBB08-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



## S-CBB09

### Circular Barbell with Double Ultra Glitter Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB09-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB09-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB09-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBB09-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



RW



RWPK



DD



PK



PP



SB



RB



GB



## S-CBF01


### Circular Barbell with Double Crystal Epoxy Covered Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBF01-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBF01-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBF01-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBF01-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"





# 316L S.Steel Twister Spiral



## S-SPR01

### Spiral with Screwballs

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-SPR01-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR01-B	1.2mm/16ga	3+3mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR01-C	1.2mm/16ga	4+4mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR01-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.20",0.24",0.28",5/16",0.39"
S-SPR01-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.20",0.24",0.28",5/16",0.39"



## S-SPR02(Big Thickness)

### Spiral with Screwballs

Item No.	Thickness	Diameter (mm/Inch)
S-SPR02	2.0mm/12ga	16 mm 5/8"
S-SPR02	2.5mm/16ga	16 mm 5/8"
S-SPR02	3.2mm/16ga	16 mm 5/8"



## S-SPR04

### Spiral with Cones

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-SPR04-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR04-B	1.2mm/16ga	3+3mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR04-C	1.2mm/16ga	4+4mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR04-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"
S-SPR04-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"



## S-SPF01

### Spiral with Crystal Epoxy Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-SPF01-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPF01-B	1.2mm/16ga	3+3mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPF01-C	1.2mm/16ga	4+4mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPF01-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"
S-SPF01-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"



# 316L S.Steel Twister Spiral



1.2mm/16ga

1.6mm/14ga

## S-SPR03 Spiral without Balls

Item No.	Thickness	Diameter (mm/Inch)
S-SPR03-A	1.2mm/16ga	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR03-B	1.6mm/14ga	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"



## S-SPR08 Long Spiral

Thickness	Ball Size	Diameter (mm/Inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



## S-SPR06 Spiral - 2 Curls

Thickness	Ball Size	Diameter (mm/Inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



## S-SPR07 Spiral - 3 Curls

Thickness	Ball Size	Diameter (mm/Inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



## S-SPR09 Spiral - 4 Curls

Thickness	Ball Size	Diameter (mm/Inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



## S-SPR10 Spiral - 5 Curls

Thickness	Ball Size	Diameter (mm/Inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



## S-SPR05 Spiral with Double Setted Crystal Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-SPR05-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR05-B	1.2mm/16ga	3+3mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR05-C	1.2mm/16ga	4+4mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR05-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"
S-SPR05-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"





Bodytecc Jewelry Factory(Shenzhen) Ltd,Co.  
A Building,No.59, Honghu Road,  
YanChuan Community, SongGang, Bao'An District,  
Shenzhen, GuanDong,China.

Tel: +86-755-29918790  
Fax: +86-755-29918790  
Email: sales@bodytecc.com