

BODY TECC


Jewelry Factory

Internally Threaded Body Jewelry

Titanium G23/ASTM F-136

Update on 12/11/2024

All Items Available in Titanium High Polished or Premium PVD Coatings



All Items Available in Austrian Crystal and Cubic Zirconia


AUSTRIAN CRYSTAL COLORS



CUBIC ZIRCONIA COLORS



Premium PVD Colors



T-SBB-INT01

Internally Threaded Barbell with Ball



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
16GA/12mm	6/7/8/9/10/12/14	3+3/4+4mm
14GA/16mm	6/7/8/9/10/12/14/16/18/20/32/35/38	4+4/5+5mm

T-SBB-INT03

Internally Threaded Barbell without Ball



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
16GA/12mm	6/7/8/9/10/12/14mm
14GA/16mm	6/7/8/9/10/12/14/16/18/20/32/35/38mm

T-BAN-INT01

Internally Threaded Bananabell with Ball



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
16GA/12mm	6/7/8/9/10/12mm	3+3/4+4mm
14GA/16mm	6/8/10/12/14mm	4+4/5+5mm

T-BAN-INT03

Internally Threaded Bananabell without Ball



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
16GA/12mm	6/7/8/10/12mm
14GA/16mm	6/7/8/10/12/14mm

T-BAN-INT10

Internally Threaded Bananabell with Different Ball Size



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
14GA/16mm	6/8/10/12/14mm	4+6mm
14GA/16mm	6/8/10/12/14mm	5+8mm

T-BAN-INT12

Internally Threaded Bananabell with Different Size of Crystal Balls



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	Ball Size
14GA/16mm	6/8/10/12mm	4+6mm
14GA/16mm	6/8/10/12mm	5+8mm

T-CBB-INT01

Internally Threaded Circular Barbell with Ball



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
16GA/12mm	6/8/10/12mm	3+3/4+4mm
14GA/16mm	6/8/10/12mm	4+4mm

T-CBB-INT03

Internally Threaded Circular Barbell without Ball



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
16GA/12mm	6/7/8/10/12mm
14GA/16mm	6/7/8/10/12mm

T-LAB-INT01


Internally Threaded Labret with Ball



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Ball Size
18GA/10mm	6/8/10mm	2/2.5/3mm
16GA/12mm	4/5/6/7/8/9/10/12/14mm	2/2.5/3/4mm
14GA/16mm	5/6/7/8/9/10/12/14/16	3/4mm

Premium PVD Colors



stellux™ AUSTRIAN CRYSTAL Powered by Swarovski



T-LAB-INT05

Internally Threaded Labret with Crystal Ball



Gauge/Thickness	Length (mm)	Ball Size
18GA/10mm	6/8/10mm	2/2.5/3mm
16GA/12mm	4/5/6/7/8/9/10/12/14mm	2/2.5/3/4mm
14GA/16mm	5/6/7/8/9/10/12/14/16	3/4mm

T-LAB-INT04

Internally Threaded Labret with Cone



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Cone Size
18GA/10mm	6/8/10mm	3/4mm
16GA/12mm	4/5/6/7/8/9/10/12/14mm	3/4mm

T-LAB-INT35

Internally Threaded Labret with Disc




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Disc Size
18GA/10mm	6/8/10mm	3/4mm
16GA/12mm	4/5/6/7/8/9/10/12/14mm	3/4mm

T-LAB-INT03

Internally Threaded Labret without Top



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	Base Size
18GA/10mm	6/8/10mm	2.5/3/4mm
16GA/12mm	4/5/6/7/8/9/10/12/14mm	2.5/3/4mm
14GA/16mm	5/6/7/8/9/10/12/14/16	2.5/3/4mm

T-LAB-INT16

Internally Threaded Labret with Claw Setting Stone



Titanium G23/ASTM F-136

Gauge/Thickness	Length(mm)	Stone Size
18GA/10mm	6/8/10mm	2/3mm
16GA/12mm	4/5/6/7/8/9/10/12/14	2/3mm

T-BAL-INT01

Ball top for Internally Threaded Base



Titanium G23/ASTM F-136

Gauge/Thickness	Ball Size (mm)
16GA/12mm	2/2.5/3/4mm
14GA/16mm	3/4/5/6/8mm

T-BAL-INT05

Stone Ball top for Internally Threaded Base



Titanium G23/ASTM F-136



Gauge/Thickness	Ball Size (mm)
16GA/12mm	2.5/3/4mm
14GA/16mm	3/4/5/6/8mm

T-TOP-INT04

Cone top for Internally Threaded Base



Titanium G23/ASTM F-136

Gauge/Thickness	Cone Size
18GA/10mm	3/4mm
16GA/12mm	3/4mm

T-TOP-INT35

Round Disc top for Internally Threaded Base



Titanium G23/ASTM F-136

Gauge/Thickness	Disc Size
18GA/10mm	3/4mm
16GA/12mm	3/4mm

Premium PVD Colors

Titanium
High Polished
HP

Titanium
Black
BK

18K
Gold
GD

18K
Rose Gold
RG

18K
White Gold
WG

T-TOP-INT16

Claw Setted Stone Top for Internally Threaded Base

Titanium G23/ASTM F-136

Gauge/Thickness	Stone Size
18GA/10mm	2/3mm
16GA/12mm	2/3mm

AUSTRIAN CRYSTAL


Powered by Swarovski

CC CR JB LS SM LA AM FA RS LR PD AQ BZ SP LP LH EM

Available Cubic Zirconia Colours

(CC) (AB) (BK) (OR) (RD) (VL) (AM) (CP) (PK) (EM) (SP) (TB) (GD) (LG)

Premium PVD Colors



T-LAB-INT06

Internally Threaded Labret with Star



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT07

Internally Threaded Labret with Design (Heart)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT08

Internally Threaded Labret with Design (Dolphin)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT09

Internally Threaded Labret with Design (Butterfly)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT10

Internally Threaded Labret with Design (Flower)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT17

Internally Threaded Labret with Heart Stone



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	Stone Size
18GA/10mm	6/8/10mm	3/4mm
16GA/12mm	6/8/10mm	3/4mm

T-LAB-INT18

Internally Threaded Labret with Square Stone



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	Stone Size
18GA/10mm	6/8/10mm	3/4mm
16GA/12mm	6/8/10mm	3/4mm

T-LAB-INT19

Internally Threaded Labret with Star Stone



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	Stone Size
18GA/10mm	6/8/10mm	3/4mm
16GA/12mm	6/8/10mm	3/4mm

T-LAB-INT21

Internally Threaded Labret with Stone Disc




Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	Disc Size
18GA/10mm	6/8/10mm	2/3mm
16GA/12mm	6/8/10mm	2/3mm

Premium PVD Colors



T-LAB-INT22
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT22
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT23
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT24
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT25
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT26
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT27
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT28
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm


T-LAB-INT29
Internally Threaded Labret with Stone

Titanium G23/ASTM F-136
Autrian Crystal Colors

Cubic Zirconia Colors

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

Premium PVD Colors



T-LAB-INT30

Internally Threaded Labret with Stone



Titanium G23/ASTM F-136
Autrian Crystal Colors



Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT31

Internally Threaded Labret with Stone



Titanium G23/ASTM F-136
Autrian Crystal Colors



Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT32

Internally Threaded Labret with Stone



Titanium G23/ASTM F-136
Autrian Crystal Colors



Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT33

Internally Threaded Labret with Stone



Titanium G23/ASTM F-136



*Please. Request to Check Availability of
other Items with Opal Stones.

Gauge/Thickness	Length (mm)	Stone
18GA/10mm	6/8/10mm	2/3mm
16GA/12mm	6/8/10mm	2/3mm

T-LAB-INT34

Internally Threaded Labret with with Design (Blitz)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT36

Internally Threaded Labret with with Design (Cross)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT37

Internally Threaded Labret with with Design (Crescent)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT38

Internally Threaded Labret with with Design (Snake)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

T-LAB-INT39


Internally Threaded Labret with with Design (Cylinder)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)
18GA/10mm	6/8/10mm
16GA/12mm	6/8/10mm

Premium PVD Colors



T-LAB-INT40

Internally Threaded Labret with Design (Snake)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT41

Internally Threaded Labret with Design (Bee)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT42

Internally Threaded Labret with Design (Feather)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT43

Internally Threaded Labret with Design (Dots)




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT44

Internally Threaded Labret with Design (Dots)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT45

Internally Threaded Labret with Design (Dots)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT46

Internally Threaded Labret with Design (Dots)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT47

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT48

Internally Threaded Labret with Stone Design




Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT49

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT50

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT51

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT52

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT53

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT54

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT55

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT56

Internally Threaded Labret with Stone Design



Titanium G23/ASTM F-136
Austrian Crystal Colors



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT57


Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT58

Internally Threaded Labret with Design(Shell)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT59

Internally Threaded Labret with Design(Heart)



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT60

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT61

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT62

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT63

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT64

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT65

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT66

Internally Threaded Labret with Design




Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT67

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT68

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT69

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT70

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT71

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT72

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT73

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT74

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT75

Internally Threaded Labret with Design




Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT76

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT77

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT78

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT79

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT80

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT81

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT82

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT83

Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT84


Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT85

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT86

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT87

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT88

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT89

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT90

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT91

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT92

Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT93


Internally Threaded Labret with Design




Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT94

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT95

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT96

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT97

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT98

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT99

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT100

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT101

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT102

Internally Threaded Labret with Design




Titanium G23/ASTM F-136




Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT103
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	


T-LAB-INT104
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	


T-LAB-INT105
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT106
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT107
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT108
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	


T-LAB-INT109
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	


T-LAB-INT110
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	


T-LAB-INT111
Internally Threaded Labret with Design



Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT112

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT113

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT114

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT115

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT116

Internally Threaded Labret with Design




Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT117

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT118

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT119

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT120

Internally Threaded Labret with Design




Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT121

Internally Threaded Labret with Design




Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT122

Internally Threaded Labret with Design




Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT123

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT124

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT125

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT126

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT127

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT128

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT129

Internally Threaded Labret with Design




Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



T-LAB-INT130

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT131

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT132

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT133

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT134

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT135

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT136

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT137

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

T-LAB-INT138

Internally Threaded Labret with Design



Titanium G23/ASTM F-136



Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors

Titanium
High Polished
HP

Titanium
Black
BK

18K
Gold
GD

18K
Rose Gold
RG

18K
White Gold
WG

stellux™

AUSTRIAN CRYSTAL

Powered by Swarovski

CC

CR

JB

LS

SM

LA

AM

FA

RS

LR

PD

AQ

BZ

SP

LP

LH

EM

T-LAB-INT139

Internally Threaded Labret with Design

Titanium G23/ASTM F-136

Gauge/Thickness	Length (mm)	
18GA/10mm	6/8/10mm	
16GA/12mm	6/8/10mm	

Premium PVD Colors



Titanium
High Polished
HP



Titanium
Black
BK



18K
Gold
GD



18K
Rose Gold
RG



18K
White Gold
WG

stellux™
AUSTRIAN CRYSTAL

Powered by Swarovski



CC



CR



JB



LS



SM



LA



AM



FA



RS



LR



PD



AQ



BZ



SP



LP



LH



EM

T-LAB-CH01

Connector Chain for Labret -Triple Chains

Length



Titanium G23/ASTM F-136

Length (mm)		
	25mm	
	30mm	
	35mm	
	40mm	

T-LAB-CH02

Connector Chain for Labret -Double Chains

Length



Titanium G23/ASTM F-136

Length (mm)		
	25mm	
	30mm	
	35mm	
	40mm	



Bodytecc Jewelry Factory(Shenzhen) Ltd,Co.
A Building,No.59, Honghu Road,
YanChuan Community, SongGang, Bao'An District,
Shenzhen, GuanDong,China.

Tel: +86-755-29918790
Fax: +86-755-29918790
Email: sales@bodytecc.com