

BODY PIERCING

Steel 316L

02/09/2024

Available PVD coatings



Available Crystal Colours



S-SGM01
Segment Ring



Gauge/Thickness	Diameter (mm)
16GA/1.2mm	6/7/8/9/10/11/12/14/16
14GA/1.6mm	6/7/8/9/10/11/12/14/16/19/22

S-SGM02
Segment Ring Big Thickness



Gauge/Thickness	Diameter (mm)
12GA/2mm	8/10/12/14/16/19/22
10GA/2.5mm	10/12/14/16/19/22
8GA/3.2mm	10/12/14/16/19/22
6GA/4mm	10/12/14/16/19/22
4GA/5mm	14/16/19/22
2GA/6.5mm	14/16/19/22

S-SGM04
Hinged Segment Ring



Gauge/Thickness	Diameter (mm)
20GA/0.8mm	5/6/7/8/9/10/11
18GA/1.0mm	5/6/7/8/9/10/11/12/13/14
16GA/1.2mm	5/6/7/8/9/10/11/12/13/14/16
14GA/1.6mm	6/7/8/9/10/11/12/13/14/16

S-SGM04
Hinged Segment Ring -Big Thickness



Gauge/Thickness	Diameter (mm)
12GA/2.0mm	10/12/13/14/16/18/20
10GA/2.5mm	10/11/12/13/14/16/18/20
8GA/3.0mm	10/12/14/16/18/20/22
6GA/4.0mm	10/12/14/16/18/20/22
2GA/6.0mm	16/18/20

S-SGM05
Hinged Segment Ring with Ball



Gauge/Thickness	Diameter (mm)	Ball Size
18GA/1.0mm	8/10	3mm
16GA/1.2mm	6/8/10	3mm
14GA/1.6mm	8/10	4mm

S-SGM06
Hinged Segment Ring with Crystal Ball



Gauge/Thickness	Diameter (mm)	Crystal Ball Size
18GA/1.0mm	8/10	3mm
16GA/1.2mm	6/8/10	3mm
14GA/1.6mm	8/10	4mm

S-SGM07

Hinged Segment Ring with Crystal prong Setted



Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8mm

S-SGM08

Hinged Segment Ring with Crystal Ball



Gauge/Thickness	Diameter (mm)	Ball Size
20GA/0.8mm	5/6/7/8/9/10	3mm
18GA/1.0mm	5/6/7/8/9/10/11/12/13	3/4mm
16GA/1.2mm	5/6/7/8/9/10/11/12/13	3/4mm
14GA/1.6mm	6/7/8/9/10/11/12/13	3/4mm

S-SGM46

Hinged Segment Ring with Crystal



Gauge/Thickness	Diameter (mm)
16GA/1.2mm	5/6/7/8/9/10/11/12/14
14GA/1.6mm	5/6/7/8/9/10/11/12/14

Available PVD coatings



Available Crystal Colours



S-SGM60

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

S-SGM61

Hinged Segment Ring



Gauge/Thickness

Diameter (mm)

S-SGM39

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

S-SGM58

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

S-SGM57

Hinged Segment Ring with Feather



Gauge/Thickness

Diameter (mm)

S-SGM100

Hinged Segment Ring with Trangle Opal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM101

Hinged Segment Ring with Drop Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM102

Hinged Segment Ring with Heart Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM103

Hinged Segment Ring with Round Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

Available PVD coatings



Silver Gold Rose Gold Black



Available Crystal Colours

S-SGM104

Hinged Segment Ring with Marques Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM105

Hinged Segment Ring with Star Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM106

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM107

Hinged Segment Ring with Crystal



Gauge/Thickness


Diameter (mm)

16GA/1.2mm

8/10

S-SGM108

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM109

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM110

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM111

Hinged Segment Ring with Crystal



Gauge/Thickness


Diameter (mm)

16GA/1.2mm

8/10

S-SGM112

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

Available PVD coatings



Silver Gold Rose Gold Black



Available Crystal Colours

S-SGM113 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM114 Hinged Segment Ring with Crystal Flower	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM115 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM116 Hinged Segment Ring with Crystal Bee	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM117 Hinged Segment Ring with Crystal Bat	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10/12

S-SGM124 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	6mm

S-SGM125 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10/12

S-SGM126 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM127 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

Available PVD coatings



Silver Gold Rose Gold Black



Available Crystal Colours

S-SGM128 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM129 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM130 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10/12

S-SGM131 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM132 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM133 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM134 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM135 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10

S-SGM136 Hinged Segment Ring with Crystal	
Gauge/Thickness	Diameter (mm)
16GA/1.2mm	8/10/12

Available PVD coatings



Silver Gold Rose Gold Black



Available Crystal Colours

S-SGM137

Hinged Segment Ring with Crystal



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM138

Hinged Segment Ring with Crystal



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM139

Hinged Segment Ring with Crystal



Gauge/Thickness Diameter (mm)

16GA/1.2mm 6/7/8/9/10/11/12

S-SGM140

Hinged Segment Ring with Crystal



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM141

Hinged Segment Ring with Crystal



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM143

Hinged Segment Ring with Crystal




Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM144

Hinged Segment Ring with Crystal




Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM145

Hinged Segment Ring with Crystal



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM146

Hinged Segment Ring with Crystal



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

Available PVD coatings



Available Crystal Colours



S-SGM147

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM148

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM149

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM150

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM151

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM152

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM153

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM154

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM155

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

Available PVD coatings



Available Crystal Colours



S-SGM156

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM157

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM158

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM159

Hinged Segment Ring with Crystal



Gauge/Thickness


Diameter (mm)

16GA/1.2mm

8/10

S-SGM160

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM161

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10

S-SGM162

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM163

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM164

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

Available PVD coatings



Available Crystal Colours



S-SGM165

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM166

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM167

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM168

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM169

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM170

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM171

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM172

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM173

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

Available PVD coatings



Silver Gold Rose Gold Black



Available Crystal Colours

S-SGM174

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM175

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM176

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM177

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM178

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM179

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM180

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM181

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

S-SGM182

Hinged Segment Ring with Crystal



Gauge/Thickness

Diameter (mm)

16GA/1.2mm

8/10/12

Available PVD coatings



Available Crystal Colours



S-SGM183

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM184

Hinged Segment Ring with Crystal



Gauge/Thickness


16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM185

Hinged Segment Ring with Crystal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM186

Hinged Segment Ring with Opal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM187

Hinged Segment Ring with Opal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

10mm

S-SGM188

Hinged Segment Ring with Opal



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM189

Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM190

Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM191

Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Available PVD coatings



S-SGM192

Hinged Segment Ring spider web design



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM193

Hinged Segment Ring Bee Design



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM194

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM195

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM196

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM197

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM198

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM199

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM200

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

Available PVD coatings



S-SGM201

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM202

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM203

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM204

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM205

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM206

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM207

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM208

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM209

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

Available PVD coatings



Available Crystal Colours



S-SGM210

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM211

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM212

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM213

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM214

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM215

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM216

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM217

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8mm

S-SGM218

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

Available PVD coatings



Available Crystal Colours



S-SGM219
Hinged Segment Ring Turtle Design



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM220
Hinged Segment Ring with Snake Design



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM221
Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM222
Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM223
Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM224
Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM225
Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM226
Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

S-SGM227
Hinged Segment Ring



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10/12

Available PVD coatings



Available Crystal Colours



S-SGM228

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM229

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM230

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM231

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM232

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM233

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM234

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM235

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM236

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

Available PVD coatings



Silver Gold Rose Gold Black

Available Crystal Colours



CC CR JB LS SM LA AM FA RS LR PD AQ BZ SP LP LH EM

S-SGM237

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM238

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM239

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM240

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM241

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10

S-SGM242

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM245

Hinged Segment Ring with Crysatl



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM246

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

S-SGM247

Hinged Segment Ring



Gauge/Thickness Diameter (mm)

16GA/1.2mm 8/10/12

Available PVD coatings



Silver Gold Rose Gold Black

Available Crystal Colours



S-SGM276
Casted Hinged Segment Ring



New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM277
Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM278
Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm


Diameter (mm)

8/10

S-SGM280
Casted Hinged Segment Ring



New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM281
Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM282
Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM282
Casted Hinged Segment Ring



New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM283
Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM284
Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Available PVD coatings



Available Crystal Colours



S-SGM285

Casted Hinged Segment Ring



New

S-SGM286

Casted Hinged Segment Ring



New

S-SGM288

Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM289

Casted Hinged Segment Ring



New

S-SGM290

Casted Hinged Segment Ring



New

S-SGM291

Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM292

Casted Hinged Segment Ring



New

S-SGM293

Casted Hinged Segment Ring



New

S-SGM294

Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Available PVD coatings



Available Crystal Colours



S-SGM295

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM301

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM304

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM305

Casted Hinged Segment Ring

New



S-SGM306

Casted Hinged Segment Ring

New



Available PVD coatings



Available Crystal Colours



S-SGM307

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM308

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM309

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM310

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM311

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM312

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM313

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM314

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM315

Casted Hinged Segment Ring

New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Available PVD coatings



Available Crystal Colours



S-SGM317

Casted Hinged Segment Ring



New

S-SGM318

Casted Hinged Segment Ring



New

S-SGM319

Casted Hinged Segment Ring



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM320

Casted Hinged Segment Ring



New

S-SGM321

Casted Hinged Segment Ring



New

S-SGM323

Casted Hinged Segment Ring Crystal



New

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-SGM324

Casted Hinged Segment Ring crystal



New



Gauge/Thickness

16GA/1.2mm

Diameter (mm)

8/10

S-BAN01

Bananabell with Screwballs

Item No.	Thickness	Ball Size	Length (mm/inch)
S-BAN01-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8,9,10,11,12,13,14,15,16mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8"
S-BAN01-B	1.2mm/16ga	3+3mm	5,6,7,8,9,10,11,12,13,14,15,16mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8"
S-BAN01-C	1.2mm/16ga	4+4mm	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8"
S-BAN01-E	1.6mm/14ga	3+3mm	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"
S-BAN01-F	1.6mm/14ga	4+4mm	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"
S-BAN01-G	1.6mm/14ga	5+5mm	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"
S-BAN01-H	1.6mm/14ga	6+6mm	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"



S-BAN02(Big Thickness)

Bananabell with Screwballs

Item No.	Thickness	Length (mm/inch)
S-BAN02-C	2.0mm/12ga	14,16,18mm 9/16", 5/8", 0.71"
S-BAN02-D	2.5mm/10ga	14,16,18mm 9/16", 5/8", 0.71"
S-BAN02-E	3.2mm/8ga	14,16,18mm 9/16", 5/8", 0.71"
S-BAN02-F	4.0mm/6ga	14,16,18mm 9/16", 5/8", 0.71"
S-BAN02-G	5.0mm/4ga	14,16,18mm 9/16", 5/8", 0.71"
S-BAN02-H	6.5mm/2ga	14,16,18mm 9/16", 5/8", 0.71"



S-BAN04

Bananabell with Cones

Item No.	Thickness	Cone Size	Length (mm/inch)
S-BAN04-B	1.2mm/16ga	3+3mm	5,6,7,8,9,10,11,12,13,14,15,16mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8"
S-BAN04-C	1.2mm/16ga	4+4mm	5,6,7,8,9,10,11,12,13,14,15,16mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"
S-BAN04-F	1.6mm/14ga	4+4mm	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"
S-BAN04-G	1.6mm/14ga	5+5mm	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"



S-BAN03

Bananabell

Item No.	Thickness	Length (mm/inch)
S-BAN03-A	1.2mm/16ga	5,6,7,8,9,10,11,12,13,14,15,16mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8"
S-BAN03-B	1.6mm/14ga	5,6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20", 0.24", 0.28", 5/16", 0.35", 0.39", 7/16", 1/2", 0.51", 9/16", 0.59", 5/8", 0.71", 0.79", 7/8"



316L S.Steel Bananabell



S-BAN09

Bananabell with Screwballs

Item No.	Thickness	Ball Size	Length (mm/inch)
S-BAN09	1.6mm/14ga	4+6mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"

S-BAN10

Bananabell with Screwballs

Item No.	Thickness	Ball Size	Length (mm/inch)
S-BAN10	1.6mm/14ga	5+8mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN26

Bananabell with BCR Ring

Item No.	Thickness	Ball Size	Length (mm/inch)	BCR
S-BAN26	1.6mm/14ga	5+8mm	6.8,10,12,mm 0.24",0.28",5/16",0.39"1/2"	1.6/12mm

S-BAN06

Banana with Double Multiple Crystal Balls

Thickness	Ball Size	Length (mm/inch)
1.2mm/16ga	3+3mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN05

Bananabell with Double Setted Crystal Balls

Item No.	Thickness	Ball Size	Length (mm/inch)
S-BAN05-A	1.2mm/16ga	2.5+2.5mm	6.7,8,10mm 0.24",0.28",5/16",0.39"
S-BAN05-B	1.2mm/16ga	3+3mm	6.7,8,10mm 0.24",0.28",5/16",0.39"
S-BAN05-C	1.2mm/16ga	4+4mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"
S-BAN05-F	1.6mm/14ga	4+4mm	6.8,10,12,14mm 0.24",0.28",5/16",0.39"1/2",9/16"
S-BAN05-G	1.6mm/14ga	5+5mm	6.8,10,12,14mm 0.24",0.28",5/16",0.39"1/2",9/16"



S-BNF03

Crystal Epoxy Covered Balls

Item No.	Thickness	Ball Size	Length (mm/inch)
S-BNF03-B	1.2mm/16ga	3+3mm	6.7,8,10mm 0.24",0.28",5/16",0.39"
S-BNF03-C	1.2mm/16ga	4+4mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"
S-BNF03-F	1.6mm/14ga	4+4mm	6.8,10,12,14mm 0.24",0.28",5/16",0.39"1/2",9/16"
S-BNF03-G	1.6mm/14ga	5+5mm	6.8,10,12,14mm 0.24",0.28",5/16",0.39"1/2",9/16"



316L S.Steel Crystal Navel Belly Button Ring



S-BAN16

Bananabell with Double Setted Crystals Balls

Thickness Ball Size Length (mm/inch)

1.6mm/14ga 5+8mm 6,8,10,12mm
0.24",0.28",5/16",0.39"1/2"




S-BAN17

Banana with Double Multiple Crystal Balls

Thickness Ball Size Length (mm/inch)

1.6mm/14ga 5+8mm 6,8,10,12mm
0.24",0.28",5/16",0.39"1/2"

316L S.Steel Navel Belly Button Ring



S-BAN46

Banana with Carbon Fiber Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"

S-BAN47

Banana with Carbon Fiber Disc

Thickness	Ball Size	Disc Size	Length (mm/inch)
1.6mm/14g	5mm	12mm	6.8,10,12mm



More pictures please see our picture collection.



S-BAN50

Banana with Picture Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



More pictures please see our picture collection.



S-BAN51

Banana with Picture Disc

Thickness	Ball Size	Disc Size	Length (mm/inch)
1.6mm/14g	5mm	12mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"

316L S.Steel Crystal Navel Belly Button Ring

Thickness **Ball Size** **Length**
1.6mm/14ga 5+8mm 10mm
5/16"



S-BAN27
Bananabell with Prong
Setted Round Stone



S-BAN28
Bananabell with Prong
Setted Square Stone



S-BAN29
Bananabell with Prong
Setted Heart Stone



S-BAN30
Bananabell with Prong
Setted Star Stone



S-BAN31
Bananabell with Prong
Setted Drop Stone



S-BAN32
Bananabell with Prong
Setted Flower Stone



S-BAN33
Bananabell with Prong
Setted Round Stone



S-BAN34
Bananabell with Prong
Setted Square Stone



S-BAN35
Bananabell with Prong
Setted Heart Stone



S-BAN36
Bananabell with Prong
Setted Star Stone




S-BAN37
Bananabell with Prong
Setted Drop Stone



S-BAN38
Bananabell with Prong
Setted Flower Stone

316L S.Steel Crystal Navel Belly Button Ring



S-BAN11

Bananabell with Single Setted Crystal Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN21 (With Hoop)

Bananabell with Single Setted Crystal Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN12

Bananabell with Double Setted Crystals Balls

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN22 (With Hoop)

Bananabell with Double Setted Crystals Balls

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN13

Bananabell with Single Setted Crystal Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	4+6mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN23 (With Hoop)

Bananabell with Single Setted Crystal Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	4+6mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BAN15

Bananabell with Double Setted Crystals Balls

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	4+6mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"




S-BAN24 (With Hoop)

Bananabell with Double Setted Crystals Balls

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	4+6mm	6.8,10,12mm 0.24",0.28",5/16",0.39"1/2"

316L S.Steel Cast Eyebrow Design

Thickness Ball Size Length (mm/Inch)
1.2mm/16ga 3mm 6.78mm
0.24",0.28",5/16"



316L S.Steel Crystal Epoxy Covered Navel Belly Button Ring



S-BNF01

Thickness Ball Size Length(mm / Inch)
1.6mm/14ga 5+8mm 6,8,10,12mm
0.24",0.28",5/16",0.39"1/2"



S-BNF02

Thickness Ball Size Length(mm / Inch)
1.6mm/14ga 5+8mm 6,8,10,12mm
0.24",0.28",5/16",0.39"1/2"



S-BNF04

Thickness Ball Size Length(mm / Inch)
1.6mm/14ga 4+6mm 6,8,10,12mm
0.24",0.28",5/16",0.39"1/2"



S-BNF10

Thickness Ball Size Length(mm / Inch)
1.6mm/14ga 5+8mm 6,8,10,12mm
0.24",0.28",5/16",0.39"1/2"

316L S.Steel Crystal Epoxy Covered Navel Belly Button Ring



S-BNF11

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6,8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BNF12

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6,8,10,12mm 0.24",0.28",5/16",0.39"1/2"

S-BNF07

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	4+6mm	6,8,10,12mm 0.24",0.28",5/16",0.39"1/2"



S-BNF05

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6,8,10,12mm 0.24",0.28",5/16",0.39"1/2"

S-BNF06

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+8mm	6,8,10,12mm 0.24",0.28",5/16",0.39"1/2"



316L S.Steel Ultra Glitter Navel Belly Button Ring

Thickness Ball Size Length (mm/Inch)
1.6mm/14ga 5mm 6,8,10,12mm
1.6mm/14ga 5mm 0.24",0.28",5/16",0.39"1/2"



S-BNT01

S-BNT02



S-BNT20

S-BNT21

316L S.Steel Ultra Glitter Navel Belly Button Ring

Thickness Ball Size Length (mm/Inch)
1.6mm/14ga 5mm 6,8,10,12mm
6.24", 8.28", 10.5/16", 12.0.39"1/2"



S-BNT22



S-BNT23



S-BNT24

AM	AQ	BZ	CR	CC	EM	FA	JH	BD	HC	LA	LR	LP	LS	PD	RS	SP	TP	GD	AM/AB	AQ/AB
Thickness	Ball Size	Length (mm/inch)						BZ/AB	EM/AB	FA/AB	LP/AB	LS/AB	LR/AB	PD/AB	RS/AB	SP/AB	TP/AB			
1.6mm/14ga	5mm	6,8,10,12mm 0.24",0.28",5/16",0.39"1/2"																		



S-BNF20



S-BNF21



S-BNF22



S-BNF23

316L S.Steel Crystal Epoxy Covered Navel Belly Button Ring

BODY TECC
Jewelry Factory



Thickness Ball Size Length (mm/Inch)
1.6mm/14ga 5mm 6.8,10,12mm
0.24",0.28",5/16",0.39"1/2"



S-BNF24



S-BNF25



S-BNF26



S-BNF28



S-BNF27

316L S.Steel Ultra Glitter Navel Belly Button Ring

Thickness Ball Size Length (mm/inch)
1.6mm/14ga 5mm 6,8,10,12mm
0.24",0.28",5/16",0.39"1/2"








S-BNT25



S-BNT26



S-BNT27




S-SBB01

Barbell with Screwballs

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBB01-L	1.0mm/18ga	3+3mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SBB01-M	1.0mm/18ga	4+4mm	5.6,7,8,10,12,14mm 0.20",0.24",0.28",5/16",0.39",1/2",9/16"
S-SBB01-B	1.2mm/16ga	3+3mm	5,6,7,8,9,10,11,12,13,14mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16"
S-SBB01-C	1.2mm/16ga	4+4mm	5,6,7,8,9,10,11,12,13,14,16,18,20,22,24,26,28,30mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"
S-SBB01-CC	1.2mm/16ga	4+4mm	32,34,36,38,40,42,44,46,48,50,55,60,65,70mm 1.26",1.34",1.42",1.50",1.57",1.65",1.73",1.81",1.89",1.97",2.17",2.36",2.56",2.76"
S-SBB01-F	1.6mm/14ga	4+4mm	5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8",0.67",0.71",3/4",0.79",0.83",7/8",0.91",0.94",1",1.02",1.06",1.10",1.14",1.18"
S-SBB01-FF	1.6mm/14ga	4+4mm	31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,55,60,65,70mm 1.22",1.26",1.30",1.34",1.38",1.42",1.46",1.50",1.54",1.57",1.61",1.65",1.69",1.73",1.77",1.81",1.85",1.89",1.93",1.97",2.17",2.36",2.56",2.76"
S-SBB01-G	1.6mm/14ga	5+5mm	5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8",0.67",0.71",3/4",0.79",0.83",7/8",0.91",0.94",1",1.02",1.06",1.10",1.14",1.18"
S-SBB01-GG	1.6mm/14ga	5+5mm	31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,55,60,65,70mm 1.22",1.26",1.30",1.34",1.38",1.42",1.46",1.50",1.54",1.57",1.61",1.65",1.69",1.73",1.77",1.81",1.85",1.89",1.93",1.97",2.17",2.36",2.56",2.76"
S-SBB01-H	1.6mm/14ga	6+6mm	5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8",0.67",0.71",3/4",0.79",0.83",7/8",0.91",0.94",1",1.02",1.06",1.10",1.14",1.18"
S-SBB01-HH	1.6mm/14ga	6+6mm	31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,55,60,65,70mm 1.22",1.26",1.30",1.34",1.38",1.42",1.46",1.50",1.54",1.57",1.61",1.65",1.69",1.73",1.77",1.81",1.85",1.89",1.93",1.97",2.17",2.36",2.56",2.76"

316L S.Steel Barbell

BODY TECC
Jewelry Factory



2.0mm/12ga



2.5mm/10ga



3.2mm/8ga



4.0mm/6ga



5.0mm/4ga



6.5mm/2ga

S-SBB02(Big Thickness)

Barbell with Screwballs


Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBB02-C	2.0mm/12ga	5+5,6+6mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"
S-SBB02-D	2.5mm/10ga	6+6mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"
S-SBB02-E	3.2mm/8ga	6+6mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"
S-SBB02-F	4.0mm/6ga	8+8mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"
S-SBB02-G	5.0mm/4ga	8+8,10+10mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"
S-SBB02-H	6.5mm/2ga	10+10mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"
S-SBB02-I	8.0mm/0ga	12+12mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"
S-SBB02-J	10mm/00ga	12+12mm	8,10,12,14,16,18,20,22mm 5/16",0.39",1/2",9/16",5/8",0.71",0.79",7/8"



8.0mm/0ga




10mm/00ga




S-SBB03
Barbell without ball

Item No.	Thickness	Length (mm/inch)
S-SBB03-C	1.0mm/18ga	5,6,7,8,10,12,14mm 0.20",0.24",0.28",5/16",0.39",1/2",9/16"
S-SBB03-A	1.2mm/16ga	5,6,7,8,9,10,11,12,13,14,16,18,20,22,24,26,28,30mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16", 5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"
S-SBB03-AA	1.2mm/16ga	31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,55,60,65,70mm 1.22",1.26",1.30",1.34",1.38",1.42",1.46",1.50",1.54",1.57",1.61",1.65",1.69",1.73", 1.77",1.81",1.85",1.89",1.93",1.97",2.17",2.36",2.56",2.76"
S-SBB03-B	1.6mm/14ga	5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8",0.67",0.71", 3/4",0.79",0.83",7/8",0.91",0.94",1",1.02",1.06",1.10",1.14",1.18"
S-SBB03-BB	1.6mm/14ga	31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,55,60,65,70mm 1.22",1.26",1.30",1.34",1.38",1.42",1.46",1.50",1.54",1.57",1.61",1.65",1.69",1.73", 1.77",1.81",1.85",1.89",1.93",1.97",2.17",2.36",2.56",2.76"




S-SBB04
Barbell with Cones

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBB04-B	1.2mm/16ga	3+3mm	5,6,8,10mm 0.20",0.24",5/16",0.39"
S-SBB04-C	1.2mm/16ga	4+4mm	5,6,8,10,12mm 0.20",0.24",5/16",0.39",1/2"
S-SBB04-F	1.6mm/14ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-SBB04-G	1.6mm/14ga	5+5mm	6,8,10,12mm 0.24",5/16",0.39",1/2"



316L S.Steel Barbell



S-SBB56
Slave Barbell with Setted Crystal BCR Ring

Thickness	Ball Size	BCR	Length (mm/inch)
1.6mm/14ga	5+5mm	1.6/10mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"



S-SBB55

Slave Barbell with BCR Ring

Thickness	Ball Size	BCR	Length (mm/inch)
1.6mm/14ga	5+5mm	1.6/10mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"

S-SBB08

Spiral

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+5mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"



S-SBB57

Slave Barbell with BCR

Thickness	Ball Size	BCR	Length (mm/inch)
1.6mm/14ga	5+5mm	1.6/10mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"

S-SBB58

Slave Double Barbell with Screwballs

Thickness	Ball Size	Mini Barbell	Length (mm/inch)
1.6mm/14ga	5+5mm	1.2/7/4+4mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"



S-SBB59

Slave Double Barbell with Cones

Thickness	Ball Size	Mini Barbell	Length (mm/inch)
1.6mm/14ga	5+5mm	1.2/7/4+4mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"

S-SBB60

Slave Double Barbell with BCR


Thickness	Ball Size	BCR	Length (mm/inch)
1.6mm/14ga	5+5mm	1.6/10mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"

316L S.Steel Crystal Barbell

S-SBB20

Barbell with Single Multiple Crystal Ball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBB20-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-SBB20-C	1.2mm/16ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-SBB20-F	1.6mm/14ga	4+4mm	8,10,12,14,16mm 5/16",0.39",1/2",9/16",5/8"
S-SBB20-G	1.6mm/14ga	5+5mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"
S-SBB20-H	1.6mm/14ga	6+6mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"



S-SBB07

Barbell with Double Multiple Crystal Balls

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBB07-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-SBB07-C	1.2mm/16ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-SBB07-F	1.6mm/14ga	4+4mm	8,10,12,14,16mm 5/16",0.39",1/2",9/16",5/8"
S-SBB07-G	1.6mm/14ga	5+5mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"
S-SBB07-H	1.6mm/14ga	6+6mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"



S-SBB06

Barbell with Double Setted Crystal Balls

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBB06-A	1.2mm/16ga	2.5+2.5mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-SBB06-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-SBB06-C	1.2mm/16ga	4+4mm	8,10,12,14,mm 5/16",0.39",1/2",9/16"
S-SBB06-F	1.6mm/14ga	4+4mm	8,10,12,14,16mm 5/16",0.39",1/2",9/16",5/8"
S-SBB06-G	1.6mm/14ga	5+5mm	8,10,12,14,16,18,19,22mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4",7/8"
S-SBB06-H	1.6mm/14ga	6+6mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"



S-SBB09

Barbell with Double Side Setted Crystal Balls

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+5mm	8,10,12,14,16mm 5/16",0.39",1/2",9/16",5/8"



S-SBB05

Barbell with Single Setted Crystal Ball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBB05-G	1.6mm/14ga	5+5mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"
S-SBB05-H	1.6mm/14ga	6+6mm	14,16,18,19,22mm 9/16",5/8",0.71",3/4",7/8"



316L S.Steel Crystal Epoxy Covered Barbell

S-SBF01

Barbell with Single Crystal Epoxy Covered Ball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBF01-B	1.2mm/16ga	3+3mm	6.8,10,12mm 0.24",5/16",0.39",1/2"
S-SBF01-C	1.2mm/16ga	4+4mm	6.8,10,12mm 0.24",5/16",0.39",1/2"
S-SBF01-F	1.6mm/14ga	4+4mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"
S-SBF01-G	1.6mm/14ga	5+5mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"
S-SBF01-H	1.6mm/14ga	6+6mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"



S-SBF02

Barbell with Double Crystal Epoxy Covered Balls

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBF02-B	1.2mm/16ga	3+3mm	6.8,10,12mm 0.24",5/16",0.39",1/2"
S-SBF02-C	1.2mm/16ga	4+4mm	6.8,10,12mm 0.24",5/16",0.39",1/2"
S-SBF02-F	1.6mm/14ga	4+4mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"
S-SBF02-G	1.6mm/14ga	5+5mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"
S-SBF02-H	1.6mm/14ga	6+6mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"



S-SBF04

Barbell with Steel Crystal Epoxy Ball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-SBF04-B	1.2mm/16ga	3+3mm	6.8,10,12mm 0.24",5/16",0.39",1/2"
S-SBF04-C	1.2mm/16ga	4+4mm	6.8,10,12mm 0.24",5/16",0.39",1/2"
S-SBF04-F	1.6mm/14ga	4+4mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"
S-SBF04-G	1.6mm/14ga	5+5mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"
S-SBF04-H	1.6mm/14ga	6+6mm	8,10,12,14,16,18,19mm 5/16",0.39",1/2",9/16",5/8",0.71",3/4"



S-SBF05

Tongue Barbell with Crystal Epoxy Covered Disc

Thickness	Ball Size	Disc Size	Length (mm/inch)
1.6mm/14ga	5mm	7mm	14,16,18,19mm 9/16",5/8",0.71",3/4"



S-SBF03

Tongue Barbell with Crystal Epoxy Covered Disc

Thickness	Ball Size	Disc Size	Length (mm/inch)
1.6mm/14ga	5mm	7mm	14,16,18,19mm 9/16",5/8",0.71",3/4"



Color Chart



316L S.Steel Ultra Glitter & Picture Barbell



Barbell with Cubic Zirconia

Thickness	Ball Size	CZ Size	Length (mm/inch)
1.0mm/18ga	4mm	4mm	6mm


S-SBB21 S-SBB22 S-SBB23 S-SBB24



S-SBB25

Barbell with Ultra Glitter Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	5+5mm	14, 16, 18, 19mm 9/16", 5/8", 0.71", 3/4"



S-SBB52

Barbell with Ultra Glitter Round Disc

Thickness	Ball Size	Disc Size	Length (mm/inch)
1.6mm/14ga	5mm	7mm	14, 16, 18, 19mm 9/16", 5/8", 0.71", 3/4"



S-SBB50

Barbell with Picture Ball

Thickness	Ball Size	Length (mm/inch)
1.6mm/14ga	6+6mm	14, 16, 18, 19mm 9/16", 5/8", 0.71", 3/4"

More pictures please see our picture collection.



S-SBB51

Barbell with Picture Round Disc

Thickness	Ball Size	Disc Size	Length (mm/inch)
1.6mm/14ga	5mm	7mm	14, 16, 18, 19mm 9/16", 5/8", 0.71", 3/4"

More pictures please see our picture collection.

316L S.Steel Cast Tongue Barbell



S-SBB103



S-SBB107



S-SBB108



S-SBB109



S-SBB113



S-SBB114



S-SBB115



S-SBB116



S-SBB117



S-SBB119



S-SBB120



S-SBB125



S-SBB127



S-SBB128



S-SBB129



S-SBB130



S-SBB132



S-SBB134



S-SBB135



S-SBB136



S-SBB137



S-SBB140



S-SBB146



S-SBB147



S-SBB148



S-SBB149



S-SBB150



S-SBB151



S-SBB152



S-SBB153



S-SBB154



S-SBB155




S-SBB156

Casting Design

Thickness Ball Size Length (mm/Inch)
1.6mm/14ga 5mm 14mm
14mm
9/16"



316L S.Steel Surface Staple Barbell



Angle 90°

Angle 45°

Angle 90°

Angle 45°

Round Barbell



S-SBB12-A
With Round Ball



S-SBB12-B
With Round Ball



S-SBB13-A



S-SBB13-B

Flat Plate Double Hole Barbell



S-SBB14-A
With UFO Ball



S-SBB14-B
With UFO Ball



S-SBB15-A



S-SBB15-B

Flat Plate Barbell



S-SBB16-A
With UFO Ball



S-SBB16-B
With UFO Ball





S-SBB17-A



S-SBB17-B

Size No.	Thickness	Ball Size	Height	Angle	Diameter(mm /Inch)
B	1.2mm/16ga	3+3mm	1.5/2.5mm	45°,90°	10,12,14,16,18,20,22,24,26,28,30mm 0.39",7/16",1/2",0.51",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"
C	1.2mm/16ga	4+4mm	1.5/2.5mm	45°,90°	10,12,14,16,18,20,22,24,26,28,30mm 0.39",7/16",1/2",0.51",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"
G	1.6mm/14ga	5+5mm	1.5/2.5mm	45°,90°	10,12,14,16,18,20,22,24,26,28,30mm 0.39",7/16",1/2",0.51",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"
H	1.6mm/14ga	6+6mm	1.5/2.5mm	45°,90°	10,12,14,16,18,20,22,24,26,28,30mm 0.39",7/16",1/2",0.51",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"

316L S.Steel Industrial Ear Barbell



S-IND01

Thickness Ball Size Length(mm/inch)
1.6mm/14ga 5+5mm 32,34,35,37,38mm
1.26",1.34",1.38",1.46",1.50"



S-IND04

Thickness Ball Size Length(mm/inch)
1.6mm/14ga 5+5mm 32,34,35,37,38mm
1.26",1.34",1.38",1.46",1.50"



S-IND06

Thickness Ball Size Length(mm/inch)
1.6mm/14ga 5+5mm 32,34,35,37,38mm
1.26",1.34",1.38",1.46",1.50"




S-IND03

Thickness Ball Size Length(mm/inch)
1.6mm/14ga 5+5mm 32,34,35,37,38mm
1.26",1.34",1.38",1.46",1.50"




S-IND02

Thickness Ball Size Length(mm/inch)
1.6mm/14ga 5+5mm 32,34,35,37,38mm
1.26",1.34",1.38",1.46",1.50"



S-IND05

Thickness Ball Size Length(mm/inch)
1.6mm/14ga 5+5mm 32,34,35,37,38mm
1.26",1.34",1.38",1.46",1.50"



S-IND07

Thickness Ball Size Length(mm/inch)
1.6mm/14ga 5+5mm 32,34,35,37,38mm
1.26",1.34",1.38",1.46",1.50"

316L S.Steel Barbell

Thickness:1.6mm/14ga



S-SBBD300



S-SBBD301



S-SBBD302



S-SBBD303



S-SBBD304



S-SBBD305



S-SBBD306



S-SBBD307



S-SBBD308



S-SBBD309



S-SBBD310



S-SBBD311

316L S.Steel Barbell

Thickness:1.6mm/14ga



S-SBBD312



S-SBBD313



S-SBBD314



S-SBBD315



S-SBBD316



S-SBBD317



S-SBBD318



S-SBBD319



S-SBBD320

316L S.Steel Barbell

Thickness:1.6mm/14ga



S-SBBD321



S-SBBD322



S-SBBD323



S-SBBD324



S-SBBD325



S-SBBD326



S-SBBD327



S-SBBD328



S-SBBD329



S-SBBD330

316L S.Steel Barbell

Thickness: 1.6mm/14ga



S-SBBD331



S-SBBD332



S-SBBD333



S-SBBD334



S-SBBD335



S-SBBD336



S-SBBD337




S-SBBD338

316L S.Steel Circular Barbell

S-CBB01

Circular Barbell with Screwballs

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB01-K	1.0mm/18ga	2.5+2.5mm	5.6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-CBB01-L	1.0mm/18ga	3+3mm	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-CBB01-A	1.2mm/16ga	2.5+2.5mm	5.6,7,8mm 0.20",0.24",0.28",5/16"
S-CBB01-B	1.2mm/16ga	3+3mm	6.7,8,9,10,11,12mm 0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-CBB01-C	1.2mm/16ga	4+4mm	8,9,10,11,12,14mm 5/16",0.35",0.39",7/16",1/2",9/16"
S-CBB01-E	1.6mm/14ga	3+3mm	5.6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-CBB01-F	1.6mm/14ga	4+4mm	8,9,10,11,12,13,14mm 5/16",0.35",0.39",7/16",1/2",0.51",9/16"
S-CBB01-G	1.6mm/14ga	5+5mm	8,10,12,13,14,15,16,18,19,22mm 5/16",0.39",1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"
S-CBB01-H	1.6mm/14ga	6+6mm	12,13,14,15,16,18,19,22mm 1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"



S-CBB02(Big Thickness)

Circular Barbell with Screwballs

Item No.	Thickness	Diameter (mm/Inch)
S-CBB02-C	2.0mm/12ga	8,10,12,14,16,19,22mm 5/16",0.39",1/2",9/16",5/8",3/4",7/8"
S-CBB02-D	2.5mm/10ga	10,12,14,16,19,22mm 0.39",1/2",9/16",5/8",3/4",7/8"
S-CBB02-E	3.2mm/8ga	12,14,16,19,22mm 1/2",9/16",5/8",3/4",7/8"
S-CBB02-F	4.0mm/6ga	12,14,16,19,22mm 1/2",9/16",5/8",3/4",7/8"
S-CBB02-G	5.0mm/4ga	12,14,16,19,22mm 1/2",9/16",5/8",3/4",7/8"
S-CBB02-H	6.5mm/2ga	14,16,19,22mm 9/16",5/8",3/4",7/8"



S-CBB04

Circular Barbell with Cones

Item No.	Thickness	Cone Size	Diameter (mm/Inch)
S-CBB04-A	1.2mm/16ga	2.5+2.5mm	5.6,7,8,mm 0.20",0.24",0.28",5/16"
S-CBB04-B	1.2mm/16ga	3+3mm	6,7,8,9,10,11,12mm 0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-CBB04-C	1.2mm/16ga	4+4mm	8,9,10,11,12mm 5/16",0.35",0.39",7/16",1/2"
S-CBB04-E	1.6mm/14ga	3+3mm	5.6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-CBB04-F	1.6mm/14ga	4+4mm	8,9,10,11,12,13,14mm 5/16",0.35",0.39",7/16",1/2",0.51",9/16"
S-CBB04-G	1.6mm/14ga	5+5mm	10,12,13,14,15,16,18,19,22mm 0.39",1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"



S-CBB03

Circular Barbell without Balls

Item No.	Thickness	Diameter (mm/Inch)
S-CBB03-C	1.0mm/18ga	5.6,7,8,9,10,11,12,13,14,15,16mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8"
S-CBB03-A	1.2mm/16ga	5.6,7,8,9,10,11,12,13,14,15,16mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8"
S-CBB03-B	1.6mm/14ga	5.6,7,8,9,10,11,12,13,14,15,16,18,19,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16",0.59",5/8",0.71",3/4",7/8"



316L S.Steel Circular Barbell

S-CBB05

Circular Barbell with two Balls + one Setted Crystal

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB05-G	1.6mm/14ga	4+5+4mm	10,12,14mm 0.39",1/2",9/16"
S-CBB05-H	1.6mm/14ga	5+6+5mm	12,14,16mm 0.39",1/2",9/16"5/8"



S-CBB06

Circular Barbell with Double Setted Crystal Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB06-A	1.2mm/16ga	2.5+2.5mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB06-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB06-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB06-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBB06-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



S-CBB08

Circular Barbell with Double Multiple Crystals Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB08-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB08-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB08-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBB08-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



S-CBB09

Circular Barbell with Double Ultra Glitter Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBB09-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB09-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBB09-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBB09-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



RW RWPK DD PK




S-CBF01

Circular Barbell with Double Crystal Epoxy Covered Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-CBF01-B	1.2mm/16ga	3+3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBF01-C	1.2mm/16ga	4+4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-CBF01-F	1.6mm/14ga	4+4mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-CBF01-G	1.6mm/14ga	5+5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



316L S.Steel Twister Spiral



S-SPR01

Spiral with Screwballs

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-SPR01-A	1.2mm/16ga	2.5+2.5mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR01-B	1.2mm/16ga	3+3mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR01-C	1.2mm/16ga	4+4mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR01-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39"
S-SPR01-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39"



S-SPR02(Big Thickness)

Spiral with Screwballs

Item No.	Thickness	Diameter (mm/Inch)
----------	-----------	--------------------

S-SPR02	2.0mm/12ga	16 mm 5/8"
S-SPR02	2.5mm/16ga	16 mm 5/8"
S-SPR02	3.2mm/16ga	16 mm 5/8"



S-SPR04

Spiral with Cones

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
----------	-----------	-----------	--------------------

S-SPR04-A	1.2mm/16ga	2.5+2.5mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR04-B	1.2mm/16ga	3+3mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR04-C	1.2mm/16ga	4+4mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR04-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"
S-SPR04-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"



S-SPF01

Spiral with Crystal Epoxy Balls

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
----------	-----------	-----------	--------------------

S-SPF01-A	1.2mm/16ga	2.5+2.5mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPF01-B	1.2mm/16ga	3+3mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPF01-C	1.2mm/16ga	4+4mm	5.6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPF01-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"
S-SPF01-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"



316L S.Steel Twister Spiral



S-SPR03
Spiral without Balls

Item No.	Thickness	Diameter (mm/inch)
S-SPR03-A	1.2mm/16ga	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR03-B	1.6mm/14ga	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"



S-SPR08
Long Spiral

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



S-SPR06
Spiral – 2 Curls

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



S-SPR07
Spiral – 3 Curls

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



S-SPR09
Spiral – 4 Curls

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"

S-SPR10
Spiral – 5 Curls

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16g	4+4mm	10mm 0.39"
1.6mm/14g	5+5mm	10mm 0.39"



S-SPR05
Spiral with Double Setted Crystal Balls

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-SPR05-A	1.2mm/16ga	2.5+2.5mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR05-B	1.2mm/16ga	3+3mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR05-C	1.2mm/16ga	4+4mm	5,6,7,8,10mm 0.20",0.24",0.28",5/16",0.39"
S-SPR05-F	1.6mm/14ga	4+4mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"
S-SPR05-G	1.6mm/14ga	5+5mm	6,7,8,10,12mm 0.24",0.28",5/16",0.39",1/2"



316L S.Steel Labret

S-LAB01

Labret with Screwball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-LAB01-L	1.0mm/18ga	3mm	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB01-M	1.0mm/18ga	4mm	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB01-A	1.2mm/16ga	2.5mm	5.6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-LAB01-B	1.2mm/16ga	3mm	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB01-C	1.2mm/16ga	4mm	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB01-F	1.6mm/14ga	4mm	5.6,7,8,9,10,11,12,13,14,15,16,18,20,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2", 0.51",9/16",0.59",5/8",0.71",0.79",7/8"



S-LAB02(Big Thickness)

Labret with Screwball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-LAB02	2.0mm/12ga	5mm	10mm 0.39"
S-LAB02	2.5mm/10ga	5mm	10mm 0.39"



S-LAB04

Labret with Cone

Item No.	Thickness	Cone Size	Length (mm/inch)
S-LAB04-B	1.2mm/16ga	3mm	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB04-C	1.2mm/16ga	4mm	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB04-F	1.6mm/14ga	4mm	5.6,7,8,9,10,11,12,13, 14,15,16,18,20,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2", 0.51",9/16",0.59",5/8",0.71",0.79",7/8"
S-LAB04-G	1.6mm/14ga	5mm	5.6,7,8,9,10,11,12,13, 14,15,16,18,20,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2", 0.51",9/16",0.59",5/8",0.71",0.79",7/8"



S-LAB10

Lippy Loop with Ball and Cone

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-LAB10-B	1.2mm/16ga	3+3mm	6,8,10mm 0.24",5/16",0.39"
S-LAB10-C	1.6mm/14ga	4+4mm	6,8,10mm 0.24",5/16",0.39"



S-LAB03

Labret without Ball

Item No.	Thickness	Length (mm/inch)
S-LAB03-C	1.0mm/18ga	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB03-A	1.2mm/16ga	5.6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB03-B	1.6mm/14ga	5.6,7,8,9,10,11,12,13,14,15,16 18,20,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2", 0.51",9/16",0.59",5/8",0.71",0.79",7/8"



S-LAB11

Lippy Loop with Crystal

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-LAB11-B	1.2mm/16ga	3+3mm	6,8,10mm 0.24",5/16",0.39"
S-LAB11-C	1.6mm/14ga	4+4mm	6,8,10mm 0.24",5/16",0.39"

316L S.Steel Labret



S-LAF01

Labret with Crystal Epoxy Covered Ball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-LAF01-B	1.2mm/16ga	3mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAF01-C	1.2mm/16ga	4mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAF01-F	1.6mm/14ga	4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-LAF01-G	1.6mm/14ga	5mm	6,8,10,12mm 0.24",5/16",0.39",1/2"



S-LAF02

Labret with Crystal Epoxy Covered Ball

Item No.	Thickness	Ball Size	Length (mm/inch)
S-LAF02-B	1.2mm/16ga	3mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAF02-C	1.2mm/16ga	4mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAF02-F	1.6mm/14ga	4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-LAF02-G	1.6mm/14ga	5mm	6,8,10,12mm 0.24",5/16",0.39",1/2"



S-LAI05

Labret with Crystal, Internally

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16ga	2mm	8mm 5/16"
	2.5mm	6mm 0.24"



S-LAI 06

Thickness	Diameter (mm/inch)
1.2mm/16ga	8mm 5/16"

S-LAI 07

Thickness	Diameter (mm/inch)
1.2mm/16ga	8mm 5/16"

S-LAI 08

Thickness	Diameter (mm/inch)
1.2mm/16ga	8mm 5/16"



S-LAI 09

Thickness	Diameter (mm/inch)
1.2mm/16ga	8mm 5/16"

S-LAI 10

Thickness	Diameter (mm/inch)
1.2mm/16ga	8mm 5/16"

316L S.Steel Labret

Item No.	Gauge	Length
S-LAB12-L	1.0mm/18ga	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB12-M	1.0mm/18ga	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB12-A	1.2mm/16ga	5,6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-LAB12-B	1.2mm/16ga	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB12-C	1.2mm/16ga	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB12-F	1.6mm/14ga	5,6,7,8,9,10,11,12,13 14,15,16,18,20,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2", 0.51",9/16",0.59",5/8",0.71",0.79",7/8"



S-LAB12
Labret without ball (One Piece)



S-LAB13
Round Disc Labret without ball (One Piece)



Round Disc

Item No.	Gauge	Ball Size	Length
S-LAB14-L	1.0mm/18ga	3mm	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB14-M	1.0mm/18ga	4mm	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB14-A	1.2mm/16ga	2.5mm	5,6,7,8,9,10mm 0.20",0.24",0.28",5/16",0.35",0.39"
S-LAB14-B	1.2mm/16ga	3mm	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB14-C	1.2mm/16ga	4mm	5,6,7,8,9,10,11,12mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-LAB14-F	1.6mm/14ga	4mm	5,6,7,8,9,10,11,12,13 14,15,16,18,20,22mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2", 0.51",9/16",0.59",5/8",0.71",0.79",7/8"

S-LAB14
Labret with screwball (One Piece)



S-LAB15
Round Disc Labret with screwball (One Piece)



S-LAI16
Labret with Prong setting Round Stone, Internally

Gauge: 1.2mm / 16ga
Stone Size: 2mm, 3mm
Length: 8mm / 5/16"



S-LAI17
Labret with Prong setting Heart Stone, Internally

Gauge: 1.2mm / 16ga
Stone Size: 3mm, 4mm
Length: 8mm / 5/16"



S-LAI18
Labret with Prong setting Square Stone, Internally

Gauge: 1.2mm / 16ga
Stone Size: 3mm, 4mm
Length: 8mm / 5/16"



S-LAI19
Labret with Prong setting Star Stone, Internally

Gauge: 1.2mm / 16ga
Stone Size: 3mm, 4mm
Length: 8mm / 5/16"


316L S.Steel Labret



S-LAB05

Labret with Setted Crystal Ball

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-LAB05-K	1.0mm/18ga	2.5mm	5,6,7,8mm 0.20",0.24",0.28",5/16"
S-LAB05-L	1.0mm/18ga	3mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAB05-A	1.2mm/16ga	2.5mm	5,6,7,8mm 0.20",0.24",0.28",5/16"
S-LAB05-B	1.2mm/16ga	3mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAB05-C	1.2mm/16ga	4mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAB05-F	1.6mm/14ga	4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-LAB05-G	1.6mm/14ga	5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



S-LAB06

Labret with Multiple Crystals Ball

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-LAB06-B	1.2mm/16ga	3mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAB06-C	1.2mm/16ga	4mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAB06-F	1.6mm/14ga	4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-LAB06-G	1.6mm/14ga	5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"



S-LAB08


Labret with Ultra Glitter Ball

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-LAB08-B	1.2mm/16ga	3mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAB08-C	1.2mm/16ga	4mm	6,7,8,10mm 0.24",0.28",5/16",0.39"
S-LAB08-F	1.6mm/14ga	4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-LAB08-G	1.6mm/14ga	5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"




Push-In Labret System


Top Design Part




Top Design Part Fit with
Every thickness of Base
Parts



0.8mm/20ga



1.0mm/18ga



1.2mm/16ga

Available PVD coatings



S-LAB-PUS16

Push in Labret with Crystal

Thickness	Length	Stone
0.8/20ga	6/8mm	2/3mm
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-PUS18

Push in Labret with Crystal Square

Thickness	Length	Stone
0.8/20ga	6/8mm	3/4mm
1.0/18ga	6/8/10mm	3/4mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	3/4mm



S-LAB-PUS05

Push in Labret with Crystal Ball

Thickness	Length	Ball
0.8/20ga	6/8mm	2/3mm
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-PUS22

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS24

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available Crystal Colours



S-LAB-PUS17

Push in Labret with Crystal Heart

Thickness	Length	Stone
0.8/20ga	6/8mm	3/4mm
1.0/18ga	6/8/10mm	3/4mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	3/4mm



S-LAB-PUS19

Push in Labret with Crystal Star

Thickness	Length	Stone
0.8/20ga	6/8mm	3/4mm
1.0/18ga	6/8/10mm	3/4mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	3/4mm



S-LAB-PUS21

Push in Labret with Crystal Disc

Thickness	Length	Disc
0.8/20ga	6/8mm	2/3mm
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-PUS23

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS25

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available PVD coatings



Silver Gold Rose Gold Black

Available Crystal Colours



S-LAB-PUS26

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS28

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS27

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS29

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS30

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS31

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS32

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS33

Push in Labret with Opal

Thickness	Length	Stone
0.8/20ga	6/8mm	2/3mm
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



*Please. Request to Check Availability of other Items with Opal Stones.

Available Opal Colours



Available PVD coatings



S-LAB-PUS47

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available Crystal Colours



S-LAB-PUS49

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS48

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS50

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS51

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS52

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS53

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS54

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS55

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS56

Push in Labret with Crystal Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available PVD coatings



Silver Gold Rose Gold Black

Available Crystal Colours



S-LAB-PUS07

Push in Labret with Design (Heart)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS08

Push in Labret with Design (Dolphin)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS09

Push in Labret with Design (Butterfly)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS10

Push in Labret with Design (Flower)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS06

Push in Labret with Design (Star)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS34

Push in Labret with Design (Blitz)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS36

Push in Labret with Design (Cross)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS37

Push in Labret with Design (Crescent)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS38

Push in Labret with Design (Snake)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS39

Push in Labret with Design (Cylinder)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available PVD coatings



S-LAB-PUS40

Push in Labret with Design(Snake)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS41

Push in Labret with Design(Bee)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS42

Push in Labret with Design(Feather)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS43

Push in Labret with Design(Dots)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS44

Push in Labret with Design(Dots)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS45

Push in Labret with Design(Dots)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS46

Push in Labret with Design(Dots)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS58

Push in Labret with Design(Shell)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PU59

Push in Labret with Design(Heart)

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-PUS60

Push in Labret with Plain Design

Thickness	Length
0.8/20ga	6/8mm
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available PVD coatings



Silver Gold Rose Gold Black

S-LAB-PUS01

Push in Labret with Ball

Thickness	Length	Ball
0.8/20ga	6/8mm	2/3mm
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4-10/12/14mm	2/3mm



S-LAB-PUS04

Push in Labret with Cone

Thickness	Length	Stone
0.8/20ga	6/8mm	2/3mm
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-PUS35

Push in Labret with Disc



Thickness	Length	Disc
0.8/20ga	6/8mm	2/3mm
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-PUS03

Push in Labret without Ball

Thickness	Length	Available Disc Size
0.8/20ga	6/8mm	2.5/3/4mm
1.0/18ga	6/8/10mm	2.5/3/4mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm	2.5/3/4mm



2.5mm 3mm 4mm
(Standard Disc Size)

Available PVD coatings



Available Crystal Colours



S-LAB-INT16

Internally Threaded Labret with Crystal

Thickness	Length	Stone
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-INT18

Internally Threaded Labret with Crystal Square

Thickness	Length	Stone
1.0/18ga	6/8/10mm	3/4mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	3/4mm



S-LAB-INT05

Internally Threaded Labret with Crystal Ball

Thickness	Length	Ball
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-INT22

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT24

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT17

Internally Threaded Labret with Crystal Heart

Thickness	Length	Stone
1.0/18ga	6/8/10mm	3/4mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	3/4mm



S-LAB-INT19

Internally Threaded Labret with Crystal Star

Thickness	Length	Stone
1.0/18ga	6/8/10mm	3/4mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	3/4mm



S-LAB-INT21

Internally Threaded Labret with Crystal Disc

Thickness	Length	Disc
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-INT23

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT25

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available PVD coatings



S-LAB-INT26

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT28

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT30

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT32

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT27

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT29

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT31

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT33

Internally Threaded Labret with Opal

Thickness	Length	Stone
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



*Please. Request to Check Availability of other Items with Opal Stones.

Available Opal Colours



Available PVD coatings



S-LAB-INT47

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT49

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT51

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT53

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT55

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT48

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT50

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT52

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT54

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT56

Internally Threaded Labret with Crystal Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



Available PVD coatings



Available Crystal Colours



S-LAB-INT07

Internally Threaded Labret with Design (Heart)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT09

Internally Threaded Labret with Design (Butterfly)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT06

Internally Threaded Labret with Design (Star)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT08

Internally Threaded Labret with Design (Dolphin)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT10

Internally Threaded Labret with Design (Flower)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT36

Internally Threaded Labret with Design (Cross)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT34

Internally Threaded Labret with Design (Blitz)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT38

Internally Threaded Labret with Design (Snake)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT37

Internally Threaded Labret with Design (Crescent)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



S-LAB-INT39

Internally Threaded Labret with Design (Cylinder)

Thickness Length
1.0/18ga 6/8/10mm
1.2/16ga 4/5/6/7/8/9/10/12/14mm



Available PVD coatings



S-LAB-INT40

Internally Threaded Labret with Design(Snake)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT42

Internally Threaded Labret with Design(Feather)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT44

Internally Threaded Labret with Design(Dots)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT41

Internally Threaded Labret with Design(Bee)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT43

Internally Threaded Labret with Design(Dots)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT45

Internally Threaded Labret with Design(Dots)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT46

Internally Threaded Labret with Design(Dots)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT57

Internally Threaded Labret with Plain Design

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT58

Internally Threaded Labret with Design(Shell)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT59

Internally Threaded Labret with Design(Heart)

Thickness	Length
1.0/18ga	6/8/10mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm



S-LAB-INT60

Internally Threaded Labret with Plain

Design	Thickness	Length
1.0/18ga	6/8/10mm	
1.2/16ga	4/5/6/7/8/9/10/12/14mm	



Available PVD coatings



S-LAB-INT01

Internally Threaded Labret with Ball

Thickness	Length	Ball
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4-10/12/14mm	2/3mm



S-LAB-INT04

Internally Threaded Labret with Cone

Thickness	Length	Stone
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-INT35

Internally Threaded Labret with Disc



Thickness	Length	Disc
1.0/18ga	6/8/10mm	2/3mm
1.2/16ga	4/5/6/7/8/9/10 12/14mm	2/3mm



S-LAB-INT03

Internally Threaded Labret without Ball

Thickness	Length	Available Disc Size
1.0/18ga	6/8/10mm	2.5/3/4mm
1.2/16ga	4/5/6/7/8/9/10/12/14mm	2.5/3/4mm



2.5mm

3mm

4mm

(Standard Disc Size)

C
2.5mm

B
3mm

A
4mm
(Standard Disc Size)

Available PVD coatings



Silver Gold Rose Gold Black

S-HLAB-INT01

**Steel 316L Internally Threaded Hidden Labret
with Link Chain & CZ**

Thickness Length
1.2/16GA 6mm/8mm



S-HLAB-INT02

**Steel 316L Internally Threaded Hidden Labret
with Double Link Chain**

Thickness Length
1.2/16GA 6mm/8mm



S-HLAB-INT03

**Steel 316L Internally Threaded Hidden Labret
with Double Link Chain**

Thickness Length
1.2/16GA 6mm/8mm



S-HLAB-INT04

**Steel 316L Internally Threaded Hidden Labret
with Link Chain & Pearl**

Thickness Length
1.2/16GA 6mm/8mm



316L S.Steel BCR

S-BCR01 BCR with Clip-in Ball


Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR01-N	0.8mm/20ga	3mm	6.7,8.9mm 0.24",0.28",5/16",0.35"
S-BCR01-O	0.8mm/20ga	4mm	8.9,10mm 5/16",0.35",0.39"
S-BCR01-L	1.0mm/18ga	3mm	6.7,8.9mm 0.24",0.28",5/16",0.35"
S-BCR01-M	1.0mm/18ga	4mm	8.9,10,11,12mm 5/16",0.35",0.39",7/16",1/2"
S-BCR01-B	1.2mm/16ga	3mm	6.7,8.9,10mm 0.24",0.28",5/16",0.35",0.39"
S-BCR01-C	1.2mm/16ga	4mm	8.9,10,11,12mm 5/16",0.35",0.39",7/16",1/2"
S-BCR01-D	1.2mm/16ga	5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"
S-BCR01-E	1.6mm/14ga	3mm	6.7,8.9mm 0.24",0.28",5/16",0.35"
S-BCR01-F	1.6mm/14ga	4mm	6.7,8.9,10,11,12mm 0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-BCR01-G	1.6mm/14ga	5mm	10,11,12,13,14mm 0.39",7/16",1/2",0.51",9/16"
S-BCR01-H	1.6mm/14ga	6mm	10,12,14,15,16,18,19,20,22,24,26,28,30mm 0.39",1/2",9/16",0.59",5/8",0.71",3/4",0.79", 7/8",0.94",1.02",1.10",1.18"



S-BCR02(Big Thickness)

BCR with Clip-in Ball

Item No.	Thickness	Diameter (mm/inch)
S-BCR02-C	2.0mm/12ga	6,7,8,10,12,14,16,18,19,20,22,24,26,28,30mm 0.24",0.28",5/16",0.39",1/2",9/16",0.59",5/8",0.71", 3/4",0.79",7/8",0.94",1.02",1.10",1.18"
S-BCR02-D	2.5mm/10ga	8,10,12,14,16,18,19,20,22,24,25,26,28,30mm 5/16",0.39",1/2",9/16",0.59",5/8",0.71",3/4",0.79", 7/8",0.94",1",1.02",1.10",1.18"
S-BCR02-E	3.2mm/8ga	10,12,14,16,18,19,20,22,25,28,30mm 0.39",1/2",9/16",0.59",5/8",0.71",3/4",0.79",7/8", 1",1.10",1.18"
S-BCR02-F	4.0mm/6ga	10,12,14,16,18,19,20,22,25,28,30mm 0.39",1/2",9/16",0.59",5/8",0.71",3/4",0.79",7/8", 1",1.10",1.18"
S-BCR02-G	5.0mm/4ga	12,14,16,18,19,20,22,25,28mm 1/2",9/16",0.59",5/8",0.71",3/4",0.79",7/8",1",1.10"
S-BCR02-H	6.5mm/2ga	14,16,18,19,20,22,25,28mm 9/16",0.59",5/8",0.71",3/4",0.79",7/8",1",1.10"



2mm/12ga 2.5mm/10ga 3.2mm/8ga 4mm/6ga 5mm/4ga 6.5mm/2ga

S-BCR03

BCR without Balls

Item No.	Thickness	Diameter (mm/inch)
S-BCR03-D	0.8mm/20ga	5.6,7,8,9,10,11,12,13,14,15,16mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16", 0.59",5/8"
S-BCR03-C	1.0mm/18ga	5.6,7,8,9,10,11,12,13,14,15,16mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16", 0.59",5/8"
S-BCR03-A	1.2mm/16ga	5.6,7,8,9,10,11,12,13,14,15,16mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16", 0.59",5/8"
S-BCR03-B	1.6mm/14ga	5,6,7,8,9,10,11,12,13,14,15,16,18,19,20,22, 24,26,28,30mm 0.20",0.24",0.28",5/16",0.35",0.39",7/16",1/2",0.51",9/16", 0.59",5/8",0.71",3/4",0.79",7/8",0.94",1.02",1.10",1.18"



0.8mm/20ga 1.0mm/18ga 1.2mm/16ga 1.6mm/14ga

316L S.Steel BCR



S-BCR10

BCR with Hematite Ball

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR01-B	1.2mm/16ga	3mm	6,7,8,9,10mm 0.24",0.28",5/16",0.35",0.39"
S-BCR01-C	1.2mm/16ga	4mm	8,9,10,11,12mm 5/16",0.35",0.39",7/16",1/2"
S-BCR01-D	1.2mm/16ga	5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"
S-BCR01-E	1.6mm/14ga	3mm	6,7,8,9mm 0.24",0.28",5/16",0.35"
S-BCR01-F	1.6mm/14ga	4mm	6,7,8,9,10,11,12mm 0.24",0.28",5/16",0.35",0.39",7/16",1/2"
S-BCR01-G	1.6mm/14ga	5mm	10,11,12,13,14mm 0.39",7/16",1/2",0.51",9/16"
S-BCR01-H	1.6mm/14ga	6mm	10,12,14,15,16,18,19,20,22,24,26,28,30mm 0.39",1/2",9/16",0.59",5/8",0.71",3/4",0.79", 7/8",0.94",1.02",1.10",1.18"
S-BCR01-H	2.0mm/12ga	3mm	6mm 0.24"
S-BCR01-H	2.0mm/12ga	4mm	7mm 0.28"
S-BCR01-H	2.0mm/12ga	5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-BCR01-H	2.0mm/12ga	6mm	16,18,19,20,22mm 5/8",0.71",3/4",0.79",7/8"
S-BCR01-H	2.0mm/12ga	8mm	24,26,28,30mm 0.94",1.02",1.10",1.18"
S-BCR01-H	2.5mm/10ga	5mm	8,10,12mm 5/16",0.39",1/2"
S-BCR01-H	2.5mm/10ga	6mm	14,16,19,22mm 9/16",5/8",3/4",7/8"
S-BCR01-H	2.5mm/10ga	8mm	25,28,30mm 1,1.10",1.18"
S-BCR01-H	3.2mm/8ga	6mm	10,12,14mm 0.39",1/2",9/16"
S-BCR01-H	3.2mm/8ga	8mm	16,19,20,22,25,28,mm 5/8",3/4",7/8",1,1.10"



S-BCR04

316L S.Steel BCR with Flat Disc

Item No.	Thickness	Disc Size	Diameter (mm/inch)
S-BCR04-B	1.2mm/16ga	3mm	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-BCR04-C	1.2mm/16ga	4mm	6,8,10,12mm 0.24",5/16",0.39",1/2"



S-BCR11

Bar Closure Ring

Item No.	Thickness	Diameter (mm/inch)
S-BCR11-L	1.0mm/18ga	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-BCR11-A	1.2mm/16ga	6,8,10,12mm 0.24",5/16",0.39",1/2"
S-BCR11-B	1.6mm/14ga	6,8,10,12,14,16mm 0.24",5/16",0.39",1/2",9/16",5/8"
S-BCR11-C	2.0mm/12ga	8,10,12,14,16mm 5/16",0.39",1/2",9/16",5/8"
S-BCR11-D	2.5mm/10ga	8,10,12,14,16mm 5/16",0.39",1/2",9/16",5/8"
S-BCR11-E	3.2mm/8ga	10,12,14,16mm 0.39",1/2",9/16",5/8"



S-BCR13

BCR with Cone Design

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR13-C	1.2mm/12ga	4mm	10,12mm 0.39",1/2"
S-BCR13-F	1.6mm/14ga	4mm	10,12mm 0.39",1/2"



S-BCR16

Teardrop Ring

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR16-C	1.2mm/12ga	4mm	10,12mm 0.39",1/2"
S-BCR16-F	1.6mm/14ga	4mm	10,12,14,16mm 0.39",1/2",9/16",5/8"



S-BCR12

Screw in Ball Ring

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR12-F	4mm/6ga	8mm	12,14,16,19,20,22mm 1/2",9/16",5/8",3/4",0.79",7/8"
S-BCR12-G	5mm/4ga	10mm	14,16,19,22mm 9/16",5/8",3/4",7/8"
S-BCR12-H	6.5mm/2ga	10mm	16,19,22mm 5/8",3/4",7/8"



S-BCR44

BCR with Cone

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR44-C	1.2mm/12ga	4mm	10,12mm 0.39",1/2"
S-BCR44-F	1.6mm/14ga	4mm	10,12mm 0.39",1/2"



S-BCR14

Heart BCR with Ball

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-BCR14-C	1.2mm/12ga	4mm	10,12mm 0.39",1/2"
S-BCR14-F	1.6mm/14ga	4mm	10,12mm 0.39",1/2"

S-BCR17

D Ring

Thickness	Ball Size	Diameter (mm/Inch)
1.2mm/16ga	4,5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"
1.6mm/16ga	5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"

S-BCR21

Scroll Ring

Thickness	Diameter (mm/Inch)
1.2mm/16ga	8,10,12mm 5/16",0.39",1/2"
1.6mm/14ga	10,12,14mm 0.39",1/2",9/16",5/8"

S-BCR22

Barbed Wire Ring

Thickness	Diameter (mm/Inch)
1.2mm/16ga	8,10,12mm 5/16",0.39",1/2"
1.6mm/14ga	8,10,12,14,16mm 5/16",0.39",1/2",9/16",5/8"

S-BCR23

Steel Cobra Ring

Thickness	Diameter (mm/Inch)
1.6mm/14ga	10,12,14,16mm 0.39",1/2",9/16",5/8"

S-BCR24

Square BCR with Ball

Thickness	Ball Size	Diameter (mm/Inch)
1.6mm/14ga	5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"



S-BCR25

Square BCR with Square

Thickness	Ball Size	Diameter (mm/Inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"

S-BCR26

Hexa BCR with Ball

Thickness	Ball Size	Diameter (mm/Inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"

S-BCR27

Hexa BCR with Square

Thickness	Ball Size	Diameter (mm/Inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"



S-BCR28

BCR with Cylinder

Thickness	Ball Size	Diameter (mm/Inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"

S-BCR29

Screw BCR with Ball

Thickness	Ball Size	Diameter (mm/Inch)
1.6mm/14ga	6mm	10,12mm 0.39",1/2"

S-BCR30

BCR with Barbell and Screw Ball

Thickness	Ball Size	Diameter (mm/Inch)
1.6mm/14ga	6mm	10,12mm 0.39",1/2"



S-BCR31
BCR with Square

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"

S-BCR32
BCR with 2 Balls

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	4+6mm	10,12mm 0.39",1/2"

S-BCR33
BCR with 3 Balls

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	4+5+6mm	10,12mm 0.39",1/2"



S-BCR39
Triangle with Ball

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"

S-BCR40
BCR with Barbell/Cone

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"

S-BCR41
BCR with Barbell/3 Balls

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"



S-BCR42
BCR with Barbell/Spike

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"

S-BCR43
BCR with Barbell

Thickness	Ball Size	Diameter (mm/inch)
1.6mm/14ga	5mm	10,12mm 0.39",1/2"





S-BCR05

BCR with Setted Crystal

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR05-B	1.2mm/16ga	3mm	8,10mm 5/16",0.39"
S-BCR05-C	1.2mm/16ga	4mm	8,10,12mm 5/16",0.39",1/2"
S-BCR05-E	1.6mm/14ga	3mm	8,10mm 5/16",0.39"
S-BCR05-F	1.6mm/14ga	4mm	8,10,12mm 5/16",0.39",1/2"
S-BCR05-G	1.6mm/14ga	5mm	8,10,12,14mm 0.39",1/2",9/16",5/8"
S-BCR05-H	1.6mm/14ga	6mm	8,10,12,14,16mm 5/16",0.39",1/2",9/16"



LS



Flat Back



CC



JB



AM



FA

S-BCR06

BCR with Setted Flat Crystal Flat Disc

Item No.	Thickness	Ball Size	Diameter (mm/inch)
S-BCR06-B	1.2mm/16ga	3mm	7,8mm 0.28",5/16"
S-BCR06-P	1.2mm/16ga	3.5mm	7,8,9,10mm 0.28",5/16",0.35",0.39"
S-BCR06-C	1.2mm/16ga	4mm	7,8,9,10mm 0.28",5/16",0.35",0.39"



Side View



PD



AQ



BZ



SP

S-BCR18

BCR with Ball and Dangle Element

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16ga	4.5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"
1.6mm/16ga	4.5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"



S-BCR19

BCR with Crystal and Dangle Element

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16ga	4.5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"
1.6mm/16ga	4.5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"



S-BCR34

BCR with Teardrop CZ

Thickness	Ball Size	Diameter (mm/inch)
1.2mm/16ga	4.5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"
1.6mm/16ga	4.5mm	10,12,14,16mm 0.39",1/2",9/16",5/8"



316L S.Steel BCR

BODY TECC
Jewelry Factory



S-BCF01

BCR with Crystal Epoxy Covered Clip-in Ball

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-BCF01-B	1.2mm/16ga	3mm	8,10mm 5/16",0.39"
S-BCF01-C	1.2mm/16ga	4mm	8,10,12mm 5/16",0.39",1/2"
S-BCF01-F	1.6mm/14ga	4mm	8,10,12mm 5/16",0.39",1/2"
S-BCF01-G	1.6mm/14ga	5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-BCF01-H	1.6mm/14ga	6mm	10,12,14,16mm 0.39",1/2",9/16",5/8"



S-BCF05

BCR with Crystal Epoxy Covered Clip-in Ball

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-BCR05-B	1.2mm/16ga	3mm	8,10mm 5/16",0.39"
S-BCR05-C	1.2mm/16ga	4mm	8,10,12mm 5/16",0.39",1/2"
S-BCR05-F	1.6mm/14ga	4mm	8,10,12mm 5/16",0.39",1/2"
S-BCR05-G	1.6mm/14ga	5mm	8,10,12,14mm 5/16",0.39",1/2",9/16"
S-BCR05-H	1.6mm/14ga	6mm	10,12,14,16mm 0.39",1/2",9/16",5/8"



Flat Back



Side View

S-BCF06

BCR with Crystal Epoxy Covered Flat Disc

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-BCF06-B	1.2mm/16ga	3mm	7,8mm 0.28",5/16"
S-BCF06-C	1.2mm/16ga	4mm	7,8,9,10mm 0.28",5/16",0.35",0.39"





S-BCR08

BCR with Ultra Glitter Clip-in Ball

Item No.	Thickness	Ball Size	Diameter (mm/Inch)
S-BCR08-B	1.2mm/16ga	3mm	8.10mm 5/16", 0.39"
S-BCR08-C	1.2mm/16ga	4mm	8,10,12mm 5/16", 0.39", 1/2"
S-BCR08-E	1.6mm/14ga	3mm	8.10mm 5/16", 0.39"
S-BCR08-F	1.6mm/14ga	4mm	8,10,12mm 5/16", 0.39", 1/2"
S-BCR08-G	1.6mm/14ga	5mm	8,10,12,14mm 0.39", 1/2", 9/16", 5/8"
S-BCR08-H	1.6mm/14ga	6mm	8,10,12,14,16mm 5/16", 0.39", 1/2", 9/16"



S-BCR09

BCR with Teardrop Ultra Glitter

Thickness	Ball Size	Diameter (mm/Inch)
1.2mm/16ga	4.5mm	10,12,14,16mm 0.39", 1/2", 9/16", 5/8"
1.6mm/16ga	4.5mm	10,12,14,16mm 0.39", 1/2", 9/16", 5/8"



S-BCR50

BCR with Picture Ball

Thickness	Ball Size	Diameter (mm/Inch)
1.6/14ga	6mm	10mm 0.39"


S-BCR51

BCR with Picture Flat Ball

Thickness	Ball Size	Diameter (mm/Inch)
1.6/14ga	6mm	10mm 0.39"



316L S.Steel Clip-On Non Piercing



S-EFR06

T-Bar Captive Bead Ring

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"



S-EFR07

T-Bar Captive Bead Ring with Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"

S-EFR08

T-Bar Captive Bead Ring with PVD Color Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"



S-EFR01

2 Rings

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"

S-EFR02

2 Rings with Balls

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"



S-EFR03

3 Rings with Balls

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"

S-EFR04

3 Rings with Balls

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"



S-EFR09

2 Rings with Crystal Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"

S-EFR10

2 Rings with Crystal Ball

Thickness	Diameter (mm/Inch)
1.2/16ga	8mm, 5/16"
1.6/14ga	10mm, 0.39"

316L S.Steel Clip-On Non Piercing

BODY|TECC
Jewelry Factory



316L S.Steel Expander/Taper



S-BND01 Spiral Design

Thickness: 0.8,1,1.2,1.6,2,2.5,3mm
20ga,18ga,16ga,14ga,12ga,10ga,8ga

S-BND02 Safety Pin Design

Thickness: 1,1.2,1.6mm
18ga,16ga,14ga



S-EXP03 Curved Taper with 2 Rubber Rings

Thickness: 1,2,1.6,2,2.5,3,4,5,6,8mm
16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga



S-EXP01

Expander with 2 Rubber Rings

Thickness: 1.0,1,2,1.6,2,0,2.5,3,4,5,6,8,10,12,14mm
18ga,16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16"

316L S.Steel Ear Casting Taper



1.2mm/16ga



1.6mm/14ga



2mm/12ga



2.5mm/10ga



3mm/8ga



4mm/6ga



5mm/4ga



6mm/2ga

S-CAS27

Thickness: 1.2,1.6,2,2.5,3,4,5,6mm
16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga



S-CAS01

Thickness: 1.6,2,2.5,3,4,5,6mm
14ga,12ga,10ga,8ga,6ga,4ga,2ga



S-CAS02

Thickness: 1.6,2,2.5,3,4,5,6mm
14ga,12ga,10ga,8ga,6ga,4ga,2ga



S-CAS03

Thickness: 1.2,1.6,2,2.5,3,4,5,6mm
16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga

S-CAS04

Thickness: 1.6,2,2.5,3,4,5,6mm
14ga,12ga,10ga,8ga,6ga,4ga,2ga



S-CAS05

Thickness: 1.6,2,2.5,3,4,5,6mm
14ga,12ga,10ga,8ga,6ga,4ga,2ga

S-CAS06

Thickness: 1.6,2,2.5,3,4,5,6mm
14ga,12ga,10ga,8ga,6ga,4ga,2ga

Thickness: 1.6,2,2.5,3,4,5,6mm
14ga,12ga,10ga,8ga,6ga,4ga,2ga



S-CAS07



S-CAS08



S-CAS09



S-CAS10



S-CAS11



S-CAS12



S-CAS13



S-CAS14



S-CAS15



S-CAS16

316L S.Steel Ear Casting Taper

Thickness: 1.6,2,2.5,3,4,5,6mm
14ga,12ga,10ga,8ga,6ga,4ga,2ga



S-CAS17



S-CAS18



S-CAS19



S-CAS20



S-CAS21



S-CAS22



S-CAS23



S-CAS24



S-CAS25



S-CAS26

316L S.Steel Nose Stud



Nose Pin

Thickness: 1.0mm/18ga



Nose Spiral

Thickness: 1.0mm/18ga



S-NSD17 Open Ring with Flat Disc

Thickness	Diameter
0.8mm/20ga	8mm
0.8mm/20ga	10mm
1.0mm/18ga	8mm
1.0mm/18ga	10mm
1.0mm/18ga	12mm
1.2mm/16ga	8mm
1.2mm/16ga	10mm
1.2mm/16ga	12mm
1.6mm/14ga	8mm
1.6mm/14ga	10mm
1.6mm/14ga	12mm



S-NSD18 Annealed Ring with Fixed Ball

Thickness	Diameter	Ball Size
0.8mm/20ga	6mm	2.5mm
0.8mm/20ga	7mm	2.5mm
0.8mm/20ga	8mm	2.5mm
0.8mm/20ga	9mm	3mm
0.8mm/20ga	10mm	3mm
0.8mm/20ga	12mm	4mm
1.0mm/18ga	8mm	3mm
1.0mm/18ga	9mm	3mm
1.0mm/18ga	10mm	3mm
1.0mm/18ga	12mm	4mm
1.2mm/16ga	8mm	3mm
1.2mm/16ga	9mm	4mm
1.2mm/16ga	10mm	4mm
1.2mm/16ga	12mm	4mm
1.6mm/14ga	8mm	4mm
1.6mm/14ga	9mm	4mm
1.6mm/14ga	10mm	4mm
1.6mm/14ga	12mm	4mm
1.6mm/14ga	14mm	5mm
1.6mm/14ga	16mm	6mm

S-NSD20 Annealed Ring

Thickness	Diameter
0.8mm/20ga	6mm
0.8mm/20ga	7mm
0.8mm/20ga	8mm
0.8mm/20ga	9mm
0.8mm/20ga	10mm
0.8mm/20ga	12mm
0.8mm/20ga	16mm
1.0mm/18ga	8mm
1.0mm/18ga	8mm
1.0mm/18ga	9mm
1.0mm/18ga	9mm
1.0mm/18ga	10mm
1.0mm/18ga	10mm
1.0mm/18ga	12mm
1.0mm/18ga	12mm
1.0mm/18ga	16mm
1.2mm/16ga	8mm
1.2mm/16ga	9mm
1.2mm/16ga	10mm
1.2mm/16ga	10mm
1.2mm/16ga	12mm
1.2mm/16ga	12mm
1.6mm/14ga	8mm
1.6mm/14ga	9mm
1.6mm/14ga	10mm
1.6mm/14ga	10mm
1.6mm/14ga	12mm
1.6mm/14ga	12mm
1.6mm/14ga	14mm
1.6mm/14ga	16mm



S-NSD19

Thickness: 1.0mm/18ga

316L S.Steel Nose Stud

BODY TECC
Jewelry Factory



S-NSD07 Nose Pin with Crystal

Thickness: 0.8mm/20ga
1.0mm/18ga




S-NSD08 Nose Spiral with Crystal

Thickness: 0.8mm/20ga
1.0mm/18ga



S-NSD09 Nose Pin with Crystal Ball Screwable

Thickness: 1.0mm/18ga
Ball size:2.5mm



S-NSD10 Nose Spiral with Crystal Ball Screwable


Thickness: 1.0mm/18ga
Ball size:2.5mm

316L S.Steel Nose Stud



S-NSD16
Nose Spiral with Ultra Glitter

Thickness: 1.0mm/18ga



S-NSD26
Nose Pin with Ultra Glitter

Thickness: 1.0mm/18ga



S-NSD50
Nose Spiral with Picture

Thickness: 1.0mm/18ga

More pictures please see our picture collection.



316L S.Steel Nose Stud



S-NSD37

316L S.Steel Nose Spiral with Crystal Epoxy Covered

Thickness: 1.0/20ga

Stone Size: 3mm



S-NSD38

316L S.Steel Nose Spiral with Crystal Disc with Epoxy

Thickness: 1.0/20ga

Stone Size: 3mm



S-NSD29
Round

316L S.Steel Nose Pin with setting

Round/Square Stone

Thickness: 0,8/20ga

Stone Size: 2,3mm



S-NSD35
Square



S-NSD36
Heart



S-NSD30
Star

316L S.Steel Nose Pin with setting

Heart/Star Stone

Thickness: 0,8/20ga

Stone Size: 3,4mm



S-NSD31
Round

316L S.Steel Nose Spiral with setting

Round/Square Stone

Thickness: 0,8/20ga

Stone Size: 2,3mm



S-NSD33
Square



S-NSD32
Heart



S-NSD34
Star

316L S.Steel Nose Spiral with setting

Heart/Star Stone

Thickness: 0,8/20ga

Stone Size: 3,4mm

316L S.Steel Nose Stud



S-NSD37
Round



S-NSD38
Square



S-NSD39
Heart



S-NSD40
Star

316L S.Steel L Nose Spiral With Prong Setting

Round/Square Stone

Thickness: 0,8/20ga

Stone Size: 2, 2.5, 3mm

316L S.Steel L Nose Spiral With Prong Setting

Heart/Star Stone

Thickness: 0,8/20ga

Stone Size: 2,3mm

Opal Collection

BODY TECC
Jewelry Factory



Opal Ball with Screw

Thread	Size
1.2mm/16ga	4mm
1.6mm/14ga	4.5,6,8mm

O-BAL01



SO-SPR06

Steel Spiral With Double Screw Opal balls

Thickness	Length(mm)	Ball Size
1.2mm/16ga	8,10,12mm	4+4mm
1.6mm/14ga	8,10,12,14mm	4+4mm
1.6mm/14ga	10,12,14mm	5+5mm



SO-CBB08

Steel Circular Barbell with Double Screw Opal Balls

Thickness	Length(mm)	Ball Size
1.2mm/16ga	8,10,12,mm	4+4mm
1.6mm/14ga	8,10,12,14mm	4+4mm
1.6mm/14ga	10,12,14mm	5+5mm



SO-BAN07

Steel Bananabell with Single Screw Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10,12,mm	4+4mm
1.6mm/14ga	6,8,10,12,14mm	4+4mm
1.6mm/14ga	8,10,12,14mm	5+5mm



SO-BAN08

Steel Bananabell with Double Screw Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10,12,mm	4+4mm
1.6mm/14ga	6,8,10,12,14mm	4+4mm
1.6mm/14ga	8,10,12,14mm	5+5mm



SO-SBB06

Steel Barbell with Single Screw Opal Ball

Thickness	Length(mm)	Ball Size
1.6mm/14ga	14,16mm	5+5mm
1.6mm/14ga	14,16mm	6+6mm



SO-SBB07

Steel Barbell with Double Screw Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10,12,	4+4mm
1.6mm/14ga	8,10,12,14,16	4+4mm
1.6mm/14ga	12,14,16,18,20	5+5mm
1.6mm/14ga	14,16,18,20,22	6+6mm
	24,26,28,30,32,34,36,38,40	



SO-BAN23

Steel Bananabell with Single Screw Opal Ball

Thickness	Length(mm)	Ball Size
1.6mm/14ga	6,8,1012mm	5+8mm



SO-BAN24

Steel Bananabell with Double Screw Opal Ball

Thickness	Length(mm)	Ball Size
1.6mm/14ga	6,8,10,12,	5+8mm



SO-LAB06

Steel Labret with Screw Opal Ball

Thickness	Length	Ball Size
1.2mm/16ga	6,8,10,mm	4mm
1.6mm/14ga	6,8,10,12mm	4mm
1.6mm/14ga	6,8,10,12mm	5mm

Opal Collection



SO-BAL05

Steel Screw Ball with Setted Opal

Thread	Size
1.2mm/16ga	2.5,3,4,5mm
1.6mm/14ga	4,5,6,8mm



SO-LAB05

Steel Labret with Setted Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,mm	2.5mm
1.2mm/16ga	6,8,10mm	3mm
1.2mm/16ga	6,8,10mm	4mm
1.6mm/14ga	6,8,10,12,mm	4mm
1.6mm/14ga	6,8,10,12,mm	5mm



Steel Circular Barbell with Double Setted Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10mm	2.5+2.5mm
1.2mm/16ga	6,8,10mm	3+3mm
1.2mm/16ga	6,8,10mm	4+4mm
1.6mm/14ga	8,10,12,14mm	4+4mm
1.6mm/14ga	10,12,14mm	5+5mm



Steel Spiral with Double Setted Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10mm	2.5+2.5mm
1.2mm/16ga	6,8,10mm	3+3mm
1.2mm/16ga	8,10mm	4+4mm
1.6mm/14ga	8,10,12,mm	4+4mm
1.6mm/14ga	10,12,mm	5+5mm



SO-BAN05

Steel Bananabell with Single Setted Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10mm	2.5+2.5mm
1.2mm/16ga	6,8,10mm	3+3mm
1.2mm/16ga	8,10,12mm	4+4mm
1.6mm/14ga	8,10,12,14mm	4+4mm
1.6mm/14ga	8,10,12,14mm	5+5mm

SO-BAN05

Steel Bananabell with Double Setted Opal Ball

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10mm	2.5+2.5mm
1.2mm/16ga	6,8,10mm	3+3mm
1.2mm/16ga	8,10,12mm	4+4mm
1.6mm/14ga	8,10,12,14mm	4+4mm
1.6mm/14ga	8,10,12,14mm	5+5mm



SO-NSD07

Steel Nose Pin with Opal

Thickness	Ball Size
1.0mm/18ga	2mm



SO-SBB08

Steel Barbell with Double Setted Opal Balls

Thickness	Length(mm)	Ball Size
1.2mm/16ga	6,8,10,12	4+4mm
1.6mm/14ga	8,10,12,14,16	4+4mm
1.6mm/14ga	12,14,16,18,20	5+5mm
1.6mm/14ga	14,16,18,20,22	6+6mm
	24,26,28,30,32,	
	34,36,38,40	

SO-SBB05

Steel Barbell with Single Setted Opal Ball

Thickness	Length(mm)	Ball Size
1.6mm/14ga	14,16	5+5mm
1.6mm/14ga	14,16	6+6mm



SO-NSD08

Steel Nose Spiral with Opal

Thickness	Ball Size
1.0mm/18ga	2mm

Opal Collection



SO-CB06

Steel Circular Barbell with Double Prong Setted Opal
Thickness Length (mm) Ball Size
1.2mm/16ga 8,10,12 mm 2.5+2.5 mm
1.2mm/16ga 8,10,12 mm 3+3 mm
1.2mm/16ga 8,10,12 mm 4+4 mm
1.6mm/14ga 8,10,12,14 mm 4+4 mm
1.6mm/14ga 10,12,14 mm 5+5 mm

Steel Bananabell with Single Setted Opal Ball

Thickness Length(mm) Ball Size
1.6mm/14ga 6,8,10,12mm 5+8mm

SO-BAN11



SO-BAN12

Steel Bananabell with Double Setted Opal Balls

Thickness Length(mm) Ball Size
1.6mm/14ga 6,8,10,12mm 5+8mm



SO-BAN03

Steel Bananabell with Single Prong Setted Opal Balls

Thickness Length(mm) Ball Size
1.2mm/16ga 6,8,10mm 2.5+2.5mm
1.2mm/16ga 6,8,10mm 3+3mm
1.2mm/16ga 8,10,12mm 4+4mm
1.6mm/14ga 8,10,12,14mm 4+4mm
1.6mm/14ga 8,10,12,14mm 5+5mm



SO-BAN04

Steel Bananabell with Double Prone Setted Opal Balls

Thickness Length(mm) Ball Size
1.2mm/16ga 6,8,10mm 2.5+2.5mm
1.2mm/16ga 6,8,10mm 3+3mm
1.2mm/16ga 8,10,12mm 4+4mm
1.6mm/14ga 8,10,12,14mm 4+4mm
1.6mm/14ga 8,10,12,14mm 5+5mm

SO-SBB04

Steel Barbell with Single Prone Setted Opal Ball

Thickness Length(mm) Ball Size
1.6mm/14ga 14,16mm 5+5mm
1.6mm/14ga 14,16mm 6+6mm



SO-BAI12

Steel Bananabell with Single Setted Opal

Thickness Length(mm) Ball Size
1.6mm/14ga 6,8,10,12mm 5+8mm



SO-BAI11

Steel Bananabell with Double Prong Setted Opal Ball

Thickness Length(mm) Ball Size
1.6mm/14ga 6,8,10,12mm 5+8mm

SO-LAI05

Steel Labret with Prong Setted Opal Ball

Thickness Length(mm) Ball Size
1.2mm/16ga 6,8mm 2.5+2.5mm
1.2mm/16ga 6,8,10mm 3+3mm
1.2mm/16ga 6,8,10mm 4+4mm
1.6mm/14ga 6,8,10,12mm 4+4mm
1.6mm/14ga 6,8,10,12mm 5+5mm



SO-NSD09

Steel Nose Pin with Prone Setted Opal

Thickness Ball Size
1.0mm/18ga 2mm
1.0mm/18ga 2.5mm
1.0mm/18ga 3mm



SO-NSD10

Steel Nose Spiral with Prone Setted Opal

Thickness Ball Size
1.0mm/18ga 2mm
1.0mm/18ga 2.5mm
1.0mm/18ga 3mm

Steel Tunnel & Plug



S-TUN01 Hard Edge Tunnel

mm Size: 1.2, 1.6, 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, .32, .35, .38, .41, .44, .48, .51 mm

Inch Size: 16ga, 14ga, 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 1ga, 0ga, 0.35", 0.00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 0.94", 1.02", 1.10", 1.18", 1.26", 1.38", 1.50", 1.61", 1.73", 1.89", 2.01"



Internal Thread

S-TUN02 Hard Edge Tunnel

mm Size: 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 mm

Inch Size: 8ga, 6ga, 4ga, 2ga, 0ga, 0.00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



External Thread

S-TUN03 Big Border Hard Edge Tunnel

mm Size: 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 mm

Inch Size: 10ga, 8ga, 6ga, 4ga, 2ga, 0ga, 0.00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



S-TUN06 Rounded Edge Tunnel

mm Size: 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 mm

Inch Size: 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 1ga, 0ga, 0.35" 0.00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



External Thread

Steel Tunnel & Plug

BODY TECC
Jewelry Factory



S-TUN07 Rounded Edge Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",
0.79",7/8",0.94",1.02",1.10",1.18"

18mm
0.71"

20mm
0.79"

Internal Thread



External Thread



Internal Thread

S-TUN08 Semi-Circular Tunnel

mm Size: 1,2,1.6,2,2.5,3,4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",
5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"



S-TUN30 Double Flared Plug

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",3/4",0.79"



S-TUN09 Semi-Circular Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",3/4",0.79"



S-TUN11 Double Flared Tunnel

mm Size: 2,3,4,5,6,7,8,10,12,14,16,18,20,22,24,25,29,32,
35,38,41,44,48,51mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",
3/4",0.79",7/8,0.94,1",1.14",1.26",1.38",1.50",1.61",1.73",1.89",2.01"



S-TUN13 Double Flared Tunnel

mm Size: 2,2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",
5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"

Internal Thread



S-TUN14 Single Flared Tunnel with Rubber

mm Size: 2,2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",5/8",
0.71",0.79",7/8",0.94",1.02",1.10",1.18"

PVD Titanium Black Over Steel Tunnel & Plug



BKS-TUN01 Hard Edge Tunnel

mm Size: 1.2, 1.6, 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, , 32, 35, 38, 41, 44, 48, 51mm
Inch Size: 16ga, 14ga, 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 1ga, 0ga, 0.35", 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18", 1.26", 1.38", 1.50", 1.61", 1.73", 1.89", 2.01"



Internal Thread



External Thread

BKS-TUN02 Hard Edge Tunnel

mm Size: 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm
Inch Size: 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



BKS-TUN06 Rounded Edge Tunnel

mm Size: 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm
Inch Size: 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 1ga, 0ga, 0.35"00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"

BKS-TUN03 Big Border Hard Edge Tunnel

mm Size: 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm
Inch Size: 10ga, 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



External Thread

PVD Titanium Black Over Steel Tunnel & Plug



BKS-TUN07
Rounded Edge Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"

18mm
0.71"

20mm
0.79"

Internal Thread



External Thread




Internal Thread

BKS-TUN08
Semi-Circular Tunnel

mm Size: 1.2,1.6,2,2.5,3,4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"



BKS-TUN30
Double Flared Plug

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",3/4",0.79"



BKS-TUN13
Double Flared Tunnel

Internal Thread

mm Size: 2,2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"

BKS-TUN09

Semi-Circular Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",3/4",0.79"



BKS-TUN11

Double Flared Tunnel

mm Size: 2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,25,29,32,

35,38,41,44,48,51mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",

3/4",0.79",7/8,0.94,1",1.14",1.26",1.38",1.50",1.61",1.73",1.89",2.01"



BKS-TUN14
Single Flared Tunnel with Rubber

mm Size: 2,2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"

Titanium 18K Gold Over Steel Tunnel & Plug



GDS-TUN01 Hard Edge Tunnel

mm Size: 1.2, 1.6, 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 35, 38, 41, 44, 48, 51mm

Inch Size: 16ga, 14ga, 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 1ga, 0ga, 0.35", 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18", 1.26", 1.38", 1.50", 1.61", 1.73", 1.89", 2.01"



Internal Thread

GDS-TUN02 Hard Edge Tunnel

mm Size: 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm

Inch Size: 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



External Thread

GDS-TUN03 Big Border Hard Edge Tunnel

mm Size: 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm

Inch Size: 10ga, 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



GDS-TUN06 Rounded Edge Tunnel

mm Size: 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm

Inch Size: 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 1ga, 0ga, 0.35", 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



External Thread

Titanium 18K Gold Over Steel Tunnel & Plug



GDS-TUN07 Rounded Edge Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",
0.79",7/8",0.94",1.02",1.10",1.18"

18mm
0.71"

20mm
0.79"

Internal Thread



External Thread



Internal Thread

GDS-TUN08 Semi-Circular Tunnel

mm Size: 1,2,1.6,2,2.5,3,4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",
5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"

GDS-TUN09 Semi-Circular Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",3/4",0.79"



GDS-TUN30 Double Flared Plug

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",3/4",0.79"



GDS-TUN11 Double Flared Tunnel

mm Size: 2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,25,29,32,
35,38,41,44,48,51mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",
3/4",0.79",7/8",0.94",1.14",1.26",1.38",1.50",1.61",1.73",1.89",2.01"



GDS-TUN13 Double Flared Tunnel

mm Size: 2,2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",
5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"



GDS-TUN14 Single Flared Tunnel with Rubber

mm Size: 2,2.5,3,4,5,6,7,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",5/8",
0.71",0.79",7/8",0.94",1.02",1.10",1.18"

Steel Tunnel & Plug



S-TUN15
Spinning Fan Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



S-TUN96
Spinning Fan Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



BKS-TUN15
Spinning Fan Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



S-TUN84
Spinning Fan Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



BKS-TUN34
Spinning Fan Tunnel with Setted Crystal Ball

mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN119
Internal Thread

mm Size: 10,12,14,16,18,20,22,25mm
Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

Steel Tunnel & Plug



Internal Thread



Internal Thread

S-TUN97

Gemmed Spinning Fan Tunnel

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN121

Gemmed Spinning Fan Tunnel

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Internal Thread



Internal Thread

S-TUN122

Gemmed Spinning Fan Tunnel

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

BKS-TUN97

Gemmed Spinning Fan Tunnel

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Internal Thread



Internal Thread

S-TUN123

Gemmed Spinning Fan Tunnel Double Color

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN125

Gemmed Spinning Fan Tunnel Double Color

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Internal Thread



Internal Thread

S-TUN124

Gemmed Spinning Fan Tunnel Double Color

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

BKS-TUN123

Gemmed Spinning Fan Tunnel Double Color

mm Size: 10,12,14,16,18,20,22,25mm

Inch Size: 00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

Steel Tunnel & Plug



AB
Antique Black



AR
Antique Rose Gold



AC
Antique Copper



AG
Antique Gold

S-TUN01

Steel Hard Edge Tunnel

mm Size: 1,2,1,6,2,2,5,3,4,5,6,7,8,9,10,12,14,16,18,20mm

Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,0.35",00ga,1/2",9/16",5/8",0.71",0.79"



PW

S-TUN01

Steel (Pearl White) Hard Edge Tunnel

mm Size: 1,2,1,6,2,2,5,3,4,5,6,7,8,9,10,12,14,16,18,20mm

Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,1ga,0ga,0.35",00ga,1/2",9/16",5/8",0.71",0.79"



S-TUN47

2-in-1 Taper-Double Flared Tunnel Set, Internally

mm Size: 3,4,5,6,7,8,9,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,1ga,0ga,0.35",00ga,1/2",9/16",5/8",0.71",0.79"



S-TUN27

Black Steel White Hard Edge Flesh Tunnel

mm Size: 8,10,12,14,16,18,20,22,24mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

S-TUN117

Black Steel White Hard Edge Flesh Tunnel with Praying Text

mm Size: 8,10,12,14,16,18,20,22,24mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



S-TUN42

Black Steel Hard Edge Flesh Tunnel with Salamander within

mm Size: 6,8,10,12,14,16,18,20,22,24mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

S-TUN43

Steel Double Cut Design Hard Edge Flesh Tunnel

mm Size: 6,8,10,12,14,16,18,20,22,24mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

Steel Tunnel & Plug



C-001



C-002



C-003



C-004



C-005



Internal Thread



S-TUN31

Steel Replaceable Designs Double Flared Tunnel

mm Size: 4,5,6,7,8,9,10,12,14,16,18,20mm

Inch Size: 6ga,4ga,2ga,1ga,0ga,0.35",0.0ga,
1/2",9/16",5/8",0.71",0.79"



S-TUN88

Steel Hard Edge Flesh Tunnel with Breathable Holes

mm Size: 6,8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",
1.10",1.18"



Internal Thread



S-TUN22

Steel 3D Eye Double Flared Tunnel

mm Size: 8,10,12,14mm

Inch Size: 0ga,00ga,1/2",9/16"



S-TUN53

Steel 3D Eye Double Flared Tunnel

mm Size: 8,10,12,14mm

Inch Size: 0ga,00ga,1/2",9/16"

BKS-TUN53

Black Steel 3D Eye Double Flared Tunnel

mm Size: 8,10,12,14mm

Inch Size: 0ga,00ga,1/2",9/16"



S-TUN40

Steel Cut Design Hard Edge Flesh Tunnel

mm Size: 8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10"1.18"



S-TUN41

Steel Double Cut Design Hard Edge Flesh Tunnel

S-TUN41

Steel Double Cut Design Hard Edge Flesh Tunnel

mm Size: 8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10"1.18"



S-TUN113

Steel Hard Edge Flesh Tunnel with Rimmed Stone Design

mm Size: 6,8,10,12,14,16,18,20,22,24mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



S-TUN63

Trumpet Flesh Tunnel

mm Size: 3,4,5,6,8,9,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,0.35",00ga,1/2",9/16",5/8",0.71",0.79"

S-TUN114

Steel Hard Edge Flesh Tunnel with Stone Design

mm Size: 6,8,10,12,14,16,18,20,22,24mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



External Thread

S-TUN16

Hexa Tunnel

mm Size: 1,2,1.6,2,2.5,3,4,5,6,8,10,12,14,16,mm

Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8"



Internal Thread



External Thread

S-TUN32

Enamel Color Box Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

S-TUN48

Enamel Color Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

Steel Tunnel & Plug

BODY TECC
Jewelry Factory



External Thread

S-TUN17

Flesh Tunnel with Rubbers

mm Size: 2.5,3,4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm
Inch Size: 10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"



Internal Thread

S-TUN23

Plate Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm
Inch Size: 8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



External Thread

S-TUN33

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



S-TUN44

Double Flared Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

S-TUN54

Mirror Tunnel

mm Size: 5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



External Thread

S-TUN59

Hard Edge Tunnel (Long Length)

mm Size: 2.5,3,4,5,6,7,8,9,10,12,14,16,18mm
Inch Size: 10ga,8ga,6ga,4ga,2ga,1ga,0ga,00ga,1/2",9/16",5/8",0.71"



S-TUN78

Oval Flared Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN75

Triangle Flared Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



External Thread



External Thread

S-TUN21
Star Cut Tunnel

mm Size: 6,8,10,12,14,16,18,20,22,25mm
Inch Size: 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"



Internal Thread



Internal Thread

S-TUN86
Star Cut Double Flared Tunnel

mm Size: 5,6,8,10,12,14,16,18,20,22,25mm
Inch Size: 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"



External Thread



External Thread

S-TUN101
Fish Net Tunnel

mm Size: 6,8,10,12,14,16,18,20,22,25mm
Inch Size: 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"



External Thread



External Thread

S-TUN103
Skull Cut Tunnel

mm Size: 6,8,10,12,14,16,18,20,22,25mm
Inch Size: 2ga, 1ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"

S-TUN104
Spade Cut Tunnel

mm Size: 6,8,10,12,14,16,18,20,22,25mm
Inch Size: 2ga, 1ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"

Steel Tunnel & Plug

BODY TECC
Jewelry Factory



External Thread



External Thread

S-TUN64

Cracked Rim Tunnel

mm Size: 6,8,10,12,14,16,18,20,22,25mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



External Thread



External Thread

S-TUN105

Knuckle Tunnel

S-TUN105

Knuckle Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



S-TUN106

Rounded Gear Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,25mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN107

Anchor Gear Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,25mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



S-TUN108

10 – Spoke Wheel Hollow Plug

mm Size: 6,8,10,12,14,16,18,20,22,25mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN109

Fish Net Hollow Plug

mm Size: 6,8,10,12,14,16,18,20,22,25mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



External Thread

S-TUN110

5 – Star Cut Hollow Plug

mm Size: 8,10,12,14,16,18,20,22,25mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN66

Sun Cast Tunnel

mm Size: 8,10,12,14,16mm

Inch Size: 0ga,00ga,1/2",9/16",5/8"

Steel Tunnel (Double Screw)



Screwable on both sides!



External Thread

S-TUN201 Hard Edge Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga0ga,00ga,1/2",9/16",5/8",0.71",0.79"



Screwable on both sides!



External Thread

S-TUN205 Jeweled Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga0ga,00ga,1/2",9/16",5/8",0.71",0.79"

External Thread

S-TUN206 Rounded Edge Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga0ga,00ga,1/2",9/16",5/8",0.71",0.79"



Screwable on both sides!

External Thread



S-TUN215 Jeweled Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga0ga,00ga,1/2",9/16",5/8",0.71",0.79"




Screwable on both sides!

S-TUN216 Jeweled Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga0ga,00ga,1/2",9/16",5/8",0.71",0.79"



Steel Tunnel (Double Screw)



Screwable on both sides!



External Thread



External Thread



S-TUN230 Star Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

S-TUN210 Plate Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"



External Thread



S-TUN232 Saw Blade Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

S-TUN233 Windmill Tunnel

mm Size: 3,4,5,6,8,10,12mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

LG DG PK RD LP DP LB DB YW OR WT BK

● ●



External Thread



S-TUN250 Star Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

S-TUN251 Star Cut Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

Steel Gemmed & CZ Tunnel & Plug



External Thread

S-TUN05

Hard Edge Gemmed Tunnel

mm Size: 1.2, 1.6, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm
Inch Size: 16ga, 14ga, 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



External Thread



External Thread



S-TUN29

Hard Edge Gem Rimmed Tunnel

mm Size: 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 25mm
Inch Size: 10ga, 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"



External Thread



Internal Thread



S-TUN91

Rimmed Gem Tunnel(Mixed Colors)

mm Size: 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 25mm
Inch Size: 10ga, 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"



Internal Thread



External Thread

S-TUN12

Gem Rimmed Tunnel

mm Size: 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 25mm
Inch Size: 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 1"

S-TUN19

Rounded Gemmed Tunnel

mm Size: 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20mm
Inch Size: 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79"

Steel Gemmed & CZ Tunnel & Plug



External Thread



S-TUN70

Gemmed Star CZ Tunnel

mm Size: 5,6,8,10,12,14,16,18,20mm

Inch Size: 4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"



External Thread



S-TUN36

CZ Jeweled Plug

mm Size: 3,4,5,6,8,10,12mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2"



S-TUN71

Star CZ Tunnel

mm Size: 5,6,8,10,12,14,16,18,20mm

Inch Size: 4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

S-TUN35

CZ Jeweled Plug

mm Size: 3,4,5,6,8,10,12,14,16,18mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71"



External Thread

S-TUN68

Gemmed Star Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20,22,25mm

Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Internal Thread



S-TUN46

Gem Rimmed Flared Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

S-TUN12

Double Flared Gemmed Tunnel

mm Size: 3,4,5,6,8,10,12,14,16mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8"

Steel Gemmed & CZ Tunnel & Plug



S-TUN72
Hexa Gemmed Tunnel with Rubber
mm Size: 8,12,16,22,28mm
Inch Size: 0ga,1/2",5/8",7/8",1.10"



S-TUN74
Square Gemmed Tunnel with Rubber
mm Size: 8,14,18,24,30mm
Inch Size: 0ga,9/16",0.71",0.94",1.18"

CC

CR

JB

LS

SM

LA

AM

FA

RS

LR

PD

AQ

BZ

SP

LP

S-TUN73
Triangle Gemmed Tunnel with Rubber

mm Size: 6,10,14,18,22mm

Inch Size: 2ga,00ga,9/16",0.71",7/8"

S-TUN76
Triangle Gemmed Flared Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN79
Oval Gemmed Flared Tunnel

mm Size: 8,10,12,14,16,18,20,22,25mm

Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



S-TUN77
Square Gemmed Flared Tunnel
mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Internal Thread

S-TUN80
Teardrop Gemmed Flared Tunnel
mm Size: 8,10,12,14,16,18,20,22,25mm
Inch Size: 0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

S-TUN85
Double Circle Gemmed Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"

Steel Gemmed & CZ Tunnel & Plug



Diameter
mm Size:
Inch Size:



External Thread



External Thread



External Thread

S-TUN24 CZ Setted Tunnel

mm Size: 3,4,5,6,8,10,12,14,16mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8"



Internal Thread

S-TUN94 CZ Jeweled Tunnel

mm Size: 4,5,6,8,10,12mm
Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2"



External Thread

S-TUN26 CZ & Gemmed Setted Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"





Internal Thread

S-TUN98

Double Rimmed Gem Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20,22,25mm
Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Internal Thread

S-TUN111

Double Rimmed Gem Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20,22,25mm
Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Internal Thread

S-TUN83

Double Circle Gemmed Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20mm
Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"



Internal Thread

S-TUN82

Double Circle Gemmed Tunnel

mm Size: 4,5,6,8,10,12,14,16,18,20mm
Inch Size: 6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"



External Thread

S-TUN10

Semi-Circular Gemmed Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



External Thread

S-TUN20

StarCut Gemmed Tunnel

mm Size: 6,8,10,12,14,16,18,20,22,25mm
Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",1"



Steel Ultra Glitter Tunnel & Plug

BODY TECC
Jewelry Factory



External Thread

S-TUN51 Hard Edge Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



Internal Thread

S-TUN52 Box Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

Steel Ultra Glitter Tunnel & Plug



RW



RWPK



DD



RD



PK



PP



RB



GB



BK



External Thread

S-TUN18 Rimmed Tunnel

mm Size: 1,2,1.6,2,2.5,3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"



RWPK



DD



RD



RS



PK



SV



PP



GB



BK



External Thread

S-TUN56 Star Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

Steel Epoxy Covered Crystals Tunnel&Plug

BODY TECC
Jewelry Factory



S-TUF01 Hard Edge Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



S-TUF02 Box Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm
Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



Our greatest advantage is that you can order any kinds of more than 1000 pictures design what we have Or what you own, unlimited, and your design will always be your design.

Our design team can also create designs for you only if you have any ideas.

We have best picture quality, color will not fade under the sun or as the time past. Our technique of epoxy cover perfectly and well protected of your designs.



Internal Thread

More pictures please see our picture collection.



3mm



4mm



5mm



6mm



8mm



10mm



12mm



14mm



16mm



18mm



20mm



22mm



24mm



P-A005



P-A045



P-D038



P-D048



P-T024L



P-C031



P-D038



P-F005



P-Y003



P-A008

S-TUN55 Box Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

Steel Picture / Motive Tunnel & Plug



External Thread

More pictures please see our picture collection.



3mm 4mm 5mm 6mm 8mm 10mm 12mm 14mm



16mm 18mm 20mm 22mm 24mm



P-S073 P-D031 P-M038 P-C048 P-W067 P-S023



P-P001 P-S052 P-A007

S-TUN50 Hard Edge Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



Internal Thread

S-TUN93

Abalone Shell Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



External Thread



S-TUN61


Carbon Fiber Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"



Internal Thread



S-TUN62

Carbon Fiber Tunnel

mm Size: 3,4,5,6,8,10,12,14,16,18,20,22,24mm

Inch Size: 8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94"

Titanium PVD Color Plating over Steel Tunnel&Plug



Physical Vapor Deposition (PVD) coatings are extremely thin, usually .05 microns thick. The process involves the deposition of zirconium nitride, titanium nitride, or other metallic ion combinations under low vacuum conditions. The PVD process provides a dense coating that resists wear and discoloration.

Due to several characteristics of PVD coating: high hardness and wear resistance, no discoloration or tarnishing, high corrosion resistance and no attack by UV radiation, PVD coating is applied to stainless steel and titanium body jewelry and last long time.



Color Chart



GD
PVD Titanium Gold



LB
PVD Titanium Light Blue



18K GD
PVD 18K Gold



DB
PVD Titanium Dark Blue



RG
PVD Rose Gold



BK
PVD Titanium Black



RB
PVD Titanium Rainbow

Steel Laser Designed Black Tunnel




External Thread



S-TUN04 PVD Black Square Tunnel

mm Size: 6,8,10,12,14,16mm

Inch Size: 2ga,0ga,00ga,1/2",9/16",5/8"



External Thread

S-TUN28 PVD Black Hard Edge Tunnel

mm Size: 1,2,1.6,2,2.5,3,4,5,6,8,10,12,14,16,18,20mm

Inch Size: 16ga,14ga,12ga,10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79"

S-TUN38 PVD Black Wide Border Hard Edge Tunnel

mm Size: 2.5,3,4,5,6,8,10,12,14,16,18,20,22,24,26,28,30mm

Inch Size: 10ga,8ga,6ga,4ga,2ga,0ga,00ga,1/2",9/16",5/8",0.71",0.79",7/8",0.94",1.02",1.10",1.18"

Steel Laser Designed Black Tunnel



External Thread



L-007



L-013



L-023



L-022



L-010



L-018



L-009



L-015



L-017



L-019



L-014



L-006



L-008



L-005

S-TUN57

PVD Black Gem Rimmed Tunnel

mm Size: 1.2, 1.6, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm

Inch Size: 16ga, 14ga, 12ga, 10ga, 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94", 1.02", 1.10", 1.18"



Internal Thread



L-006



L-013



L-011



L-018



L-004



L-015



L-024L



L-012



L-020



L-008



L-001



L-014



L-007

S-TUN58

PVD Black Flared Tunnel


mm Size: 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24mm

Inch Size: 8ga, 6ga, 4ga, 2ga, 0ga, 00ga, 1/2", 9/16", 5/8", 0.71", 0.79", 7/8", 0.94"

316L S.Steel Ear Fake Plug



Thickness Disc Size Length (mm/Inch)
1.2mm/16ga 8mm 6mm
0.047" 0.24"



S-EFP31



S-EFP32



S-EFP33



S-EFP34



S-EFP30



S-EFP05



S-EFP21



S-EFP22



S-EFP23



S-EFP24



S-EFP25



S-EFP26



S-EFP29



S-EFP28



S-EFP27

316L S.Steel Ear Fake Plug



S-EFP01

Thickness Disc Size Length (mm/inch)
1.2mm/14ga 3,4,5,6,7,8,10mm 6mm/0.24"

S-EFP17

Thickness Disc Size Length (mm/inch)
1.2mm/14ga 6,7,8,10,12mm 6mm/0.24"

S-EFP18

Thickness Disc Size Length (mm/inch)
1.2mm/14ga 6,7,8,10,12mm 6mm/0.24"



S-EFP02

Thickness Disc Size Length (mm/inch)
1.2mm/14ga 8mm 6mm/0.24"



S-EFP20

Thickness Disc Size Length (mm/inch)
1.2mm/14ga 8mm 6mm/0.24"



S-EFP35

Steel Button Ear Fake Plug

Thickness Disc Size Length (mm/inch)
1.2mm/16ga 8+10mm 6mm/0.24"

S-EFP36

Steel Lotus Ear Fake Plug

Thickness Disc Size Length (mm/inch)
1.2mm/16ga 6+8mm 6mm/0.24"



S-EFP37

Steel Bone Ear Fake Plug

Thickness Disc Size Length (mm/inch)
1.2mm/16ga 4+12mm 6mm/0.24"

S-EFP38

Steel Pencil Ear Fake Plug

Thickness Disc Size Length (mm/inch)
1.2mm/16ga 6+6mm 6mm/0.24"

316L S.Steel Ear Fake Plug



S-EFP19

Thickness Disc Size Length (mm/Inch)
1.2mm/16ga 8mm 6mm/0.24"



S-EFP12

Thickness Disc Size Length (mm/Inch)
1.2mm/16ga 8mm 6mm/0.24"



S-EFP13

Thickness Disc Size Length (mm/Inch)
1.2mm/16ga 8mm 6mm/0.24"



S-EFP14

Thickness Disc Size Length (mm/Inch)
1.2mm/16ga 8mm 6mm/0.24"



316L S.Steel Ear Fake Plug

BODY TECC
Jewelry Factory



More pictures please see our picture collection.



S-EFP51

Thickness	Disc Size	Length (mm/inch)
1.2mm/16ga	4,5,6,7,8,10mm	6mm/0.24"

S-EFP41

Thickness	Disc Size	Length (mm/inch)
1.2mm/16ga	4,5,6,7,8,10mm	6mm/0.24"



S-EFP03

Thickness	Disc Size	Length (mm/inch)
1.2mm/14ga	8mm	6mm/0.24"



S-EFP15

Thickness	Disc Size	Length (mm/inch)
1.2mm/16ga	8mm	6mm/0.24"



S-EFP11

Thickness	Disc Size	Length (mm/inch)
1.2mm/14ga	8mm	6mm/0.24"



316L S.Steel Ear Fake Plug



S-EFP40

Thickness	Disc Size	Length(mm/inch)
1.2mm/16ga	8mm	6mm 0.24 "



S-EFP43

Steel Round Disc Magnet
Size:6,8,10,12,14mm



S-EFP44

Steel Square Disc with Magnet
Size:10,12,mm



S-EFP45

Steel Star Disc with Magnet
Size:8mm

Available PVD coatings



Available Cubic Zirconia Colours



S-BAL01

Screw Ball

Thread	Size
1.0mm/18ga	2,2.5,3,4mm
1.2mm/16ga	2,2.5,3,4,5mm
1.6mm/14ga	3,4,5,6,7,8,10,12mm

S-BAL02

Screw Double Ball

Thread	Size
1.6mm/14ga	4/6mm

S-BAL03

Screw Triple Ball

Thread	Size
1.6mm/14ga	3/4/5,4/5/6mm

S-BAL04

Screw Half Ball

Thread	Size
1.6mm/14ga	6mm



S-BAL20
Clip-in Ball

Size:3,4,5,6,8mm

S-BAL21
Clip-in Flat Ball

Size:3,4mm

S-BAL22
Double Clip-in Ball

Size:4/6mm,6/8mm

S-BAL23
Triple Clip-in Ball

Size:3/4/5mm



S-BAL30
Screw UFO Ball

Thread	Size
1.2mm/16ga	3,4mm
1.6mm/14ga	4,5,6mm

S-BAL31
Screw UFO Ball with Setted Flat Crystal

Thread	Size
1.2mm/16ga	3,4mm
1.6mm/14ga	4,5,6mm

S-BAL64
External Screw Ball

Thread	Size
1.2mm/16ga	3,4, 5, 6mm


S-BAL07
Screw Multi-Crystals Ball

Thread	Size
1.2mm/16ga	3,4mm
1.6mm/14ga	4,5,6,8mm



Multi-Thread Screw Ball

Thread: 1.6mm/14ga



Multi-Thread Screw Ball With Crystal

Thread: 1.6mm/14ga



S-BAL11 **Multiple Threads(Two)**

Size: 4,5,6,8mm



S-BAL12 **Multiple Threads(Three)**

Size: 6,8mm



S-BAL13 **Multiple Threads(Four)**

Size: 8mm



S-BAL14 **Asymmetrical Multiple Threads(Four)**

Size: 8mm



S-BAL15 **One Side Thread**

Size: 4,5,6,8mm



S-BAL16 **Multiple Threads(Two)**

Size: 6,8mm



S-BAL17 **Multiple Threads(Three)**

Size: 8mm



S-BAL18 **Multiple Threads(Four)**

Size: 8mm



S-BAL19 **Asymmetrical Multiple Threads(Four)**

Size: 8mm

316L S.Steel Accessories



Setted Crystal

S-BAL05
Setted Crystal Ball

Thread Size
1.2mm/16ga 2.5,3,4,5mm
1.6mm/14ga 3,4,5,6,8mm



Setted Crystal

S-BAL25
Setted Crystal Clip-in Ball

Size: 3,4,5,6mm



Setted Crystal



Setted Crystal

S-BAL08
Double Ball with Crystal

Thread: 1.6mm/14ga
Size: 4/6mm

S-BAL09
Triple Ball with Crystal

Thread: 1.6mm/14ga
Size: 3/4/5,4/5/6mm



Setted Crystal

S-BAL26
Steed Crystal Clip-in Flat Disc

Size: 3,3.5,4mm



S-BAL06
Screw ball with Ultra Glitter

Thread Size
1.2mm/16ga 3,4mm
1.6mm/14ga 4,5,6,8mm



P-M038 P-S009 P-D048 P-T026 P-F002 P-Y003 P-T013R P-M057
P-P078R P-P001 P-C001 P-A007 P-F004 P-M036 P-D047 P-C032

S-BAL27
Clip-in Flat Ball with Glitter

Size: 3,4,5,6mm



More pictures please see our picture collection.

S-BAL50
Picture Ball
Thread: 1.6mm/14ga
Size: 6mm



S-BAL51
Picture Clip-in Ball
Size: 6mm



HMT01
Hematite Ball

Thread Size
1.0mm/18ga 3,4,5,6mm
1.5mm/14ga 5,6,8mm





F-BAL01

Crystal Epoxy Ball with Steel Insert Screw

Thread Size

1.2mm/16ga 3,4,5mm

1.6mm/14ga 4,5,6,8mm



F-BAL02

AB Crystal Epoxy Ball with Steel Insert Screw

Thread Size

1.2mm/16ga 3,4,5mm

1.6mm/14ga 4,5,6,8mm



F-BAL12

Epoxy Ball with Steel Insert Screw

Thread Size

1.2mm/16ga 3,4,5mm

1.6mm/14ga 4,5,6,8mm



F-BAL20

Crystal Epoxy Ball with Steel Clip-In Bar

Size: 3,4,5,6mm



F-BAL21

AB Crystal Epoxy Ball with Steel Clip-In Bar

Size: 3,4,5,6mm

316L S.Steel Accessories



S-BLF01
Epoxy Crystall Ball
Size:3,4,5,6,8,10mm

S-BLF05
Epoxy Crystal Disc
Size:3,4,5,6,8,10mm

S-BLF02
Clip-in Ball with Crystal Epoxy Covered
Size:3,4,5,6,8,10mm

G-BAL01
Crystal Ball with Steel Insert Screw

Thread Size
1.2mm/16ga 3,4,5mm
1.6mm/14ga 4,5,6,8mm



G-BAL02
AB Crystal Ball with Steel Insert Screw

Thread Size
1.2mm/16ga 3,4,5mm
1.6mm/14ga 4,5,6,8mm



LG DG PK RD LP DP LB DB YW OR WT BK
● ●

LG DG PK RD LP DP LB DB YW OR WT BK
● ●

S-BAL48
Enamel Ball

Thread Size
1.2mm/16ga 3,4mm
1.6mm/14ga 4,5,6,8mm



S-BAL49
Enamel Clip-In Ball
Size:3,4,5,6mm





S-CON01

Thread	Size
1.2mm/16ga	2,5,3,4,5mm
1.6mm/14ga	3,4,5,6,8mm



S-CON02

Thread	Size
1.2mm/16ga	3/5,4/5,5/6mm
1.6mm/14ga	4/6,5/7,5/10mm



S-CON08

Thread	Size
1.2mm/16ga	3/5,4/6mm
1.6mm/14ga	3/5,3/15,4/6,4/1 5/10,5/15,5/20mm



S-CON09

Thread	Size
1.2mm/16ga	4/6mm
1.6mm/14ga	4/10,5/15,6/20mm

S-CON10

Thread	Size
1.2mm/16ga	3/5,4/6mm
1.6mm/14ga	4/6,5/7mm

S-CON11

Thread	Size
1.2mm/16ga	3/5,4/6mm
1.6mm/14ga	4/6,5/7mm



S-CON27

Thread	Size
1.6mm/14ga	5/3,6/4mm

S-CON32

Thread	Size
1.2mm/16ga	3mm

S-CON33

Thread	Size
1.2mm/16ga	3mm



316L S.Steel Accessories

Dermal Top



S-MDA11
Round Flat Disc

Thread:1.2mm/16ga
Disc Size:3,3.5,4,4.5,5,6,7,8,9,10mm



S-MDA12
Cone

Thread:1.2mm/16ga
Cone Size:3,4,5mm



S-MDA13
Flat Star

Thread:1.2mm/16ga
Star Size:4,5,6mm



S-MDA19
Hexa Flat Disc

Thread:1.2mm/16ga
Disc Size: 5mm



S-MDA20
Ball

Thread:1.2mm/16ga
Ball Size: 3,4,5,6mm



S-MDA21
Dome

Thread:1.2mm/16ga
Dome Size: 3,4,5mm



S-MDA22
2 Balls

Thread:1.2mm/16ga
Ball Size: 2.5+3mm



S-MDA23
3 Balls

Thread:1.2mm/16ga
Ball Size: 2.5+3+4mm



S-MDA24
Spike

Thread:1.2mm/16ga
Spike Size: 3/6,4/6mm



S-MDA15
Flat Crystal Disc

Thread:1.2mm/16ga
Disc Size: 3,3.5,4,4.5,5,7,8,9mm



S-MDA14
Flat Crystal Star

Thread:1.2mm/16ga
Star Size: 4,5,6mm



S-MDA17
Flat Epoxy Ferido Crystals Disc

Thread:1.2mm/16ga
Disc Size: 3,3.5,4,4.5,5,6,7,8mm



S-MDA16
Flat Epoxy Ferido Crystals Disc

Thread:1.2mm/16ga
Disc Size: 3,3.5,4,4.5,5,6,7,8mm



S-MDA18
Flat Ultra Glitter Disc

Thread:1.2mm/16ga
Disc Size: 3,3.5,4,4.5,5,6,7,8mm

More pictures please see our picture collection.



S-MDA50
Flat Picture Disc

Thread:1.2mm/16ga
Disc Size: 3,3.5,4,4.5mm



Bodytecc Jewelry Factory(Shenzhen) Ltd,Co.
A Building, No.59, Honghu Road,
YanChuan Community, SongGang, Bao'An District,
Shenzhen, GuanDong, China.

Tel: +86-755-29918790
Fax: +86-755-29918790
Email: sales@bodytecc.com